

*f
u
r
n
i
t
u
r
e

c
a
t
a
l
o
g
u
e*

*2
0
2
3*



green wave
general trading Ltd

www.gwgtltd.com

quality delivered

email: buyzoneuae@gmail.com

CALL : 050 125 1467

WhatsApp: 050 125 1467

SEATING	04
DESKS+TABLES	38
PHONE BOTH	81
ACOUSTIC	84
STORAGE	90
LIGHTING	109

inspiring the future of work



SEATING

Visitors + Meeting

Task + Executive

Occasional + Breakout

Benches + Ottomans

Sofas + Lounge



GRADE A/B/C/D/E

GRADE L1/L2/L3/L4

The above code indicates the classification of different materials.
Refer to Colorlab for more details.



TOKO
CBM
0.20

- * Injection foam seat;
- * PA base with castors;
- * With adjust lumbar support;
- * 2-lock mechanism;
- * Fixed armrest;
- * Seat sliding;

Add or minus options

Add headrest

Change to Alu base

with adjustable arm rest

Without arm rest

NOTE: Grade A: Standard Fabric Sunday Grade B: Medley Fighter



WHY
CBM
0.20

- * Black frame;
- * Auto 3-lock mechanism;
- * Height Adjustable;
- * PA base with castors;

Add or minus options

Change to White/Grey frame

Add headrest

Change to 4D armrest

Add lumbar support

Seat sliding

Alu base





TOBY
CBM
0.20

- * Black frame;
- * Auto 3-lock mechanism;
- * Height Adjustable;
- * PA base with castors;

Add or minus options

Change to White/Grey frame

Add headrest

Change to 4D armrest

Add lumbar support

Seat sliding

Alu base



Hi
CBM
0.20

- * Black frame;
- * Auto 3-lock mechanism;
- * Height Adjustable;
- * Seat sliding;
- * PA base with castors;

Add or minus options

Change to White/Grey frame

Add headrest

Change to 4D armrest

Alu base



SHAPE
CBM
0.20

- * Black frame;
- * Auto 3-lock mechanism;
- * Height Adjustable;
- * Seat sliding;
- * PA base with castors;

Add or minus options

Change to White/Grey frame

Add headrest

Change to 4D armrest

Add lumbar support

Alu base



MANGA
CBM
0.21

- * Black frame;
- * Injection foam seat and back by fabric upholstery;
- * Auto 4-lock mechanism with side extension;
- * With seats sliding;
- * PA base with castors;

Add or minus options

Change to White frame

Add headrest

Alu base



NIDO
CBM
0.22

- * Fabric upholstery, Molded Foam;
- * PA66+30% Fiber Glass with PU arm pad;
- * High gloss black nylon armrest body;
- * 3D armrest, height adjustable;
- * Arm pad forward and backward adjustable;
- * With seats sliding;
- * PA base with castors;

Add or minus options

Add headrest

Alu armrest

Alu base



ACTION
CBM
0.20

- * Synchro auto base ;
- * 3 lock armrest;
- * Adjust lumbar support;
- * Using higher gas lift range : 460- 570 mm;
- * PA base with castors;

Add or minus options

Add headrest

Change to 4-lock mechanism

Alu base



LODO
CBM
0.21

- * 2D height adjust arm-rest;
- * With adjustable lumbar support;
- * 3 position back tilt lock;
- * Seat height adjust;
- * Seats Sliding;
- * Injection foam with fabric upholstery;
- * PA base with castors;

Add or minus options

Change to White/Grey frame

Add headrest

Add footrest

Optional color



TRANSIT
CBM
0.22

- * High back chair, nylon frame;
- * High density molded foam;
- * Alu adjust armrest (up and down, move back and forth);
- * 4 Level controlling mechanism;
- * Alu base with 60mm PA castors;

Add or minus options

Add headrest

Change to 4-lock mechanism

Alu base



green wave
general trading ltd

www.gwgttd.com



LIFT
CBM
0.21

- * High density molded foam;
- * 3D adjust armrest (up and down, move back and forth);
- * 4 Level controlling mechanism;
- * Seat height adjust;
- * Seats Sliding;
- * Nylon base with 60mm PA castors;

Add or minus options

Change to White/Grey frame

Add headrest

Add footrest



P050
CBM
0.20

- * Height adjustable & swivel headrest with soft pads;
- * Height adjustable lumbar support;
- * Height adjustable lumbar with polished aluminum support;
- * 4D armrests with PU pads ,aluminum support;
- * High density molded foam with seat slider;
- * Synchronized mechanism with 4 locking position;
- * Polished aluminum base with 60R PU castors;
- * ROHS,REACH,PAHS certificated. BIFMA standard;

Add or minus options

Add Black head rest

Grey Frame

Add Grey head rest

Change to PA base



ERGOSCALE 7

CBM
0.24

- * Two wire line mechanism : Lifting & Back Tilting;
- * The height of the backrest and headrest can be adjusted;
- * Synchronized tilting locked in 90-135 degree;
- * 3D Adjustable armrest;
- * Black Nylon plastic with fiber frame;

Add or minus options

Alu base

Without headrest

With footrest



ERGOSCALE 8

CBM
0.24

- * 3 wire line controlling mechanism: Lifting; Sliding and Back tilting;
- * The height of the backrest and headrest can be adjusted;
- * Synchronized tilting locked in 90-135 degree;
- * 3D Adjustable armrest; * 2D Headrest;
- * Black frame with Fiber glass;
- * Flexible lumbar support;

Add or minus options

Without headrest

With footrest



ERGOSCALE Gaming Chair

CBM
0.24

- * 3 wire line controlling mechanism: Lifting; Sliding and Back tilting;
- * The height of the backrest and headrest can be adjusted;
- * Synchronized tilting locked in 90-135 degree;
- * 3D Adjustable armrest;
- * Black frame with Fiber glass;
- * Flexible lumbar support;

Add or minus options

Without headrest



HERMAN
SEATING

Task + Executive >>>>>



A1918
CBM
0.45

- * High back chair;
- * High density mold foam;
- * Knee-tilt mechanism 4 positions locked;
- * Aluminum base &PU castors;
- * Mold foam with upholstery armrest;



B1918
CBM
0.30

- * Mid back chair;
- * High density mold foam;
- * Knee-tilt mechanism 4 positions locked;
- * Aluminum base &PU castors;
- * Mold foam with upholstery armrest;

NOTE: HERMAN got special upholstery options while different from standard ColourLab;
Grade A: NDPU Grade B: 3A Leather

KEY
SEATING

Task + Executive >>>>>



A1901
CBM
0.36

- * High back chair
- * High density mold foam with plastic frame inside
- * 2D mechanism height adjustable
- * 5-stars aluminum base &PU castors
- * Aluminum armrest

NOTE: KEY got special upholstery options while different from standard ColourLab;
Grade A: NDPU Grade B: 3A Leather



A1901-1
CBM
0.36

- * High back chair
- * High density mold foam with plastic frame inside
- * Knee-tilt mechanism 4 positions locked
- * 4-stars solid aluminum base &PU castors
- * Aluminum armrest



FK004-A11
CBM
0.32

- * High back chair;
- * High density mold foam with plastic frame inside;
- * 2D mechanism height adjustable;
- * 5-stars aluminum base &PU castors;
- * Aluminum armrest;



FK004-A12
CBM
0.32

- * High back chair;
- * High density mold foam with plastic frame inside;
- * Knee-tilt mechanism 4 positions locked;
- * 4-stars solid aluminum base &PU castors;
- * Aluminum armrest;



FK004-B11
CBM
0.22

- * Mid back chair;
- * High density mold foam with plastic frame inside;
- * 2D mechanism height adjustable;
- * 5-stars aluminum base &PU castors;
- * Aluminum armrest;



FK004-B12
CBM
0.22

- * Mid back chair;
- * High density mold foam with plastic frame inside;
- * 2D mechanism height adjustable;
- * 4-stars solid aluminum base &PU castors;
- * Aluminum armrest;

NOTE: RIB got special upholstery options while different from standard ColourLab;
Grade A: NDPU Grade B: 3A Leather

KOSMO
SEATING

Task + Executive >>>>>



A1905
CBM
0.28

- * High back chair;
- * High density mold foam;
- * Knee-tilt mechanism 4 positions locked;
- * Aluminum base &PU castors;
- * Plywood with Upholstery armrest;



A1925
CBM
0.18

- * Middle back chair;
- * High density mold foam;
- * Synchronized mechanism 4 positions locked;
- * Aluminum base &PU castors;
- * Plywood with Upholstery armrest;



A1925-1
CBM
0.27

- * Middle back chair;
- * High density mold foam;
- * High sensitivity mechanism with adjustable lift;
- * Aluminum base &PU castors;
- * Plywood with upholstery armrest;

ENOVY
SEATING

Task + Executive >>>>>



A1905
CBM
0.19

- * High back chair;
- * High density mold foam;
- * Knee-tilt mechanism 4 positions locked;
- * Aluminum base &PU castors;
- * Plywood with Upholstery armrest;



A1925
CBM
0.27

- * Middle back chair;
- * High density mold foam;
- * Synchronized mechanism 4 positions locked;
- * Aluminum base &PU castors;
- * Plywood with Upholstery armrest;



A1925-1
CBM
0.23

- * Middle back chair;
- * High density mold foam;
- * High sensitivity mechanism with adjustable lift;
- * Aluminum base &PU castors;
- * Plywood with upholstery armrest;

NDPU



NDPU-9718



NDPU-9711



NDPU-9712



NDPU-9713




NDPU-9720


3A Leather



3A-9100



3A-1221




3A-6610



3A-9713



3A-9714



3A-9715

NOTE: KOSMO ENOVY got special upholstery options while different from standard ColourLab;
Grade A: NDPU Grade B: 3A Leather

NOTE: HERMAN / RIB / KEY / KOSMO / ENOVY
Can choice the below color to upholstery.





AC81A



AC81B

AC81A

CBM
0.21

AC81B

CBM
0.18

- * 4D multifunction arm with PU pad;
- * Polished Alu. Five stars base and back frame;
- * Molding foam for sitting;
- * Polished alum.five star base and back frame;
- * Backrest back 25 degree, 4 position locking;
- * BIFMA standard;



AC82A



AC82B

AC82A

CBM
0.21

AC82B

CBM
0.18

- * Fluid polished alum. arm with cover;
- * Polished alum.back support;
- * Molded foam for seat;
- * Seat height adjustment, 5 position locking;
- * Polished alum.five stars base with castors;
- * BIFMA standard;

Vinyl



V01-01



V01-02



V01-04



V01-07



V01-08



V01-09

Classic italy Leather



L01-01



L01-02



L01-04



L01-071

NOTE: DALCROSS got special upholstery options while different from standard ColourLab;
Grade A: Vinyl Grade B: Classic italy Leather



NOTE: DALCROSS Can choice the below color to upholstery.



Arico-A1
CBM
0.29

- * High back office swivel chair;
- * Mould foam back & seat;
- * Suspended aluminum fixed armrest;
- * Germany "Bock" wire control mechanism 3 positions locking, seat with sliding the back and seat linking component is aluminum;
- * $\Phi 60\text{MM}$ PU caster, D65Y80 KGS class 4 gas lift,(44-50.5) $\pm 1\text{CM}$;



Arico-B1
CBM
0.25

- * Low back office swivel chair;
- * Mould foam back & seat;
- * Suspended aluminum fixed armrest;
- * Germany "Bock" wire control mechanism 3 positions locking, seat with sliding the back and seat linking component is aluminum;
- * $\Phi 60\text{MM}$ PU caster, D65Y80 KGS class 4 gas lift,(44-50.5) $\pm 1\text{CM}$;



Arico-D1
CBM
0.25

- * Mid back office chair;
- * Mould foam for the back & seat;
- * Suspended aluminum fixed armrest;
- * Wire control mechanism, 1 position locking;
- * KGS class 4 gas lift, D100Y70 (43-53) $\pm 1\text{CM}$ 340mm aluminum base, $\Phi 60\text{MM}$ PU caster;



Arico-E1
CBM
0.25

- * Low back office chair;
- * Mould foam for the back & seat;
- * Suspended aluminum fixed armrest;
- * Wire control mechanism, 1 position locking;
- * KGS class 4 gas lift, D100Y70 (43-53) $\pm 1\text{CM}$ 340mm aluminum base, $\Phi 60\text{MM}$ PU caster;

NOTE: ARICO got special upholstery options while different from standard ColourLab
Grade A: Fabric Grade B: Microfiber Grade C: Half Leather Grade D: Full Leather



SWISS High Back
CBM
0.32




SWISS Mid Back
CBM
0.25

- * Injection foam back and seat;
- * Microfiber leather/leather or fabric upholstery;
- * Arm/frame available by black/white/polished;
- * Suspended aluminum fixed armrest;
- * Integrated aluminum wire control mechanism;
- * 340mm aluminum base, Φ60mm PU casters;
- * KGS class 4 gas lift in black;

NOTE: SWISS got special upholstery options while different from standard ColourLab;
Grade A: Fabric Grade B: Microfiber Grade C: Half Leather Grade D: Full Leather

Leather



AR-L01



AR-L02



AR-L02




AR-L03



AR-L03

Micro Fiber Leather



AR-P01



AR-P02



AR-P03



AR-P04



AR-P05


Fabric



AR-F02



AR-F03



AR-F04



NOTE: ARICO / SWISS Can choice the below color to upholstery.



DUKA-A
CBM
0.06

- * PP Chair shell in black;
- * Powder coated sledge metal frame;



DUKA-D
CBM
0.13

- * PP Chair shell;
- * Chromed chair frame with fixed armrest;
- * Foam and fabric/vinyl fully upholstery;



DUKA-G
CBM
0.16

- * PP Chair shell;
- * Foam and fabric/vinyl fully upholstery;
- * Powder coated aluminum alloy armrest;
- * Optional for polished finish;
- * Height Adjust;
- * Powder coated aluminum alloy castor frame;



DUKA-B
CBM
0.13

- * PP Chair shell inner;
- * Foam and fabric/vinyl fully upholstery;
- * Fixed powder coated metal armrest;
- * Powder coated sledge metal frame;



DUKA-E
CBM
0.13

- * PP Chair shell in black;
- * Fixed cushion seat pad;
- * Powder coated aluminum alloy armrest;
- * Optional for polished finish;
- * Height Adjust;
- * Powder coated aluminum alloy castor frame;



DUKA-H
CBM
0.06

- * PP Chair shell in black;
- * Powder coated 4-leg metal frame;
- * Optional for polished finish;



DUKA-C
CBM
0.13

- * PP Chair shell in black;
- * Chromed chair frame with fixed armrest;



DUKA-F
CBM
0.13

- * PP Chair shell;
- * Foam and fabric/vinyl fully upholstery;
- * Height Adjust;
- * Powder coated aluminum alloy castor frame;
- * Optional for polished finish;



DUKA-I
CBM
0.11

- * PP Chair shell in black;
- * Powder coated 4-leg metal frame;
- * Fixed cushion seat pad;
- * Optional for polished finish;



DUKA-J

CBM
0.32

- * PP Chair shell in black;
- * Powder coated 4-leg metal frame;
- * Optional for polished finish;



DUKA-K

CBM
0.32

- * PP Chair shell in black;
- * Powder coated 4-leg metal frame;
- * Fixed cushion seat pad;
- * Optional for polished finish;

OPTIONS

- * Cushion Seat Pad
- * Fully Upholstery

- * Sledge base armrest
- * Aluminum alloy armrest

- * Upgrade to white shell

- * Please add/reduce the replated adding features

Duka Works for all iWork colourlab upholstery fabrics





Y01B
CBM
0.24

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Matt powder coating metal tube base;
- * DIA16mm;2mm thickness;
- * BIFMA standard;



Y02B
CBM
0.25

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Matt powder coating solid sled base with glider,DIA12mm;
- * BIFMA standard;



Y03B
CBM
0.28

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Ash wooden base;
- * BIFMA standard;



Y01B-NA
CBM
0.20

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Matt powder coating metal tube base;
- * DIA16mm;2mm thickness;
- * BIFMA standard;



Y02B-NA
CBM
0.25

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Matt powder coating solid sled base with glider,DIA12mm;
- * BIFMA standard;



Y03B-NA
CBM
0.20

- * Mid back chair without armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Ash wooden base;
- * BIFMA standard;



Y02A
CBM
0.32

- * High back chair with armrest;
- * With soft pad headrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Matt powder coating solid sled base with glider,DIA12mm;
- * BIFMA standard;



Y03A
CBM
0.38

- * High back chair with armrest;
- * With soft pad headrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Ash wooden base;
- * BIFMA standard;



Y04A
CBM
0.36

- * High back chair with armrest;
- * With soft pad headrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Polished Alum;
- * Column Polished DIA750mm Alu.4 stars base;
- * BIFMA standard;



Y04B
CBM
0.19

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Polished Alum;
- * Column Polished DIA750mm Alu.4 stars base;
- * BIFMA standard;



Y07B
CBM
0.19

- * Mid back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Height adjustable seat function;
- * Molded foam D60/H50;
- * DIA660 Polished aluminium base;
- * BIFMA standard;



Y04B-NA
CBM
0.19

- * Mid back chair without armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Polished Alum;
- * Column Polished DIA680mm Alu.4 stars base;
- * BIFMA standard;



Y07B-NA
CBM
0.19

- * Mid back chair without armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Height adjustable seat function;
- * Molded foam D60/H50;
- * DIA660 Polished aluminium base;
- * BIFMA standard;



Y07A
CBM
0.36

- * High back chair with armrest;
- * Mold foam(D60/H50) with inner metal frame;
- * Height adjustable seat function;
- * DIA660 Polished aluminium base;
- * BIFMA standard;
- * With soft pad headrest;
- * Molded foam D60/H50;







STILLER-A01/02

SIZE CBM
W600*D630*H880 0.29

- * Height from 500-600;
- * Steel leg with armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: Steel tube Dia16mm;
- * Wheel: Nylon wheels;



STILLER-B01/02

SIZE CBM
W600*D630*H870 0.29

- * Height from 500-600;
- * Steel leg with armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: Steel tube Dia16mm;
- * Wheel: Nylon wheels;



STILLER-B05

SIZE CBM
W570*D640*H840 0.29

- * Steel leg without armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: metal;



STILLER-A03

SIZE CBM
W600*D630*H820 0.29

- * Steel leg with armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: Steel tube Dia16mm;



STILLER-B03

SIZE CBM
W570*D610*H820 0.29

- * Steel leg with armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: Steel tube Dia16mm;



STILLER-C01

SIZE CBM
W520*D510*H965 0.32

- * Bar stool;
- * Interior material: Integral molding foam sponge;
- * Leg: metal;



STILLER-A04

SIZE CBM
W600*D630*H820 0.29

- * Steel leg with armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: Steel tube Dia16mm;



STILLER-B04

SIZE CBM
W570*D610*H820 0.29

- * Steel leg without armrest lounge chair;
- * Interior material: Integral molding foam sponge;
- * Leg: Steel tube Dia16mm;





W086A
CBM
0.22

- * High back office chair;
- * Soft leatherette over molded foam seat back and armrests;
- * Polished aluminum base;
- * Height adjustable mechanism;
- * Fixed molded seat cushion;



W086B
CBM
0.20


- * Mid back office chair;
- * Soft leatherette over molded foam seat back and armrests;
- * Polished aluminum base;
- * Height adjustable mechanism;
- * Fixed molded seat cushion;




- * Sponge and fabric upholstery;
- * Optional with or W/O wooden base;



PETAL
SIZE
Φ380*H50 CBM
0.10




PETAL
SIZE
W700*D340*H50 CBM
0.10



PETAL
SIZE
Φ380*H520/740 CBM
0.15/0.15



PETAL
SIZE
W1200*D380*H430 CBM
0.30



PETAL
SIZE
W1800*D480*H430 CBM
0.30



PETAL
SIZE
W1800*D380*H700/430SH CBM
0.30



- * Sponge and fabric upholstery;
- * Wooden structure;
- * Powder coated frame & legs;



MEDAL-A

SIZE	CBM
W1400*D400*H400	0.25

MEDAL-B

SIZE	CBM
W2000*D400*H400	0.35

MEDAL-C

SIZE	CBM
W2000*D800*H400	0.70



- * Base: Wooden structure, sponge and fabric upholstery;
- * Tops: timber veneer top
- * Tree: Artificial, tree trunk may made of solid timber;



Backyard-treeA
SIZE
W1800*H2700 CBM
0.20



Backyard-treeB
SIZE
H2200/2600 CBM
0.20



Backyard-a
SIZE
W1000*D1000*H560 CBM
0.18



Backyard-B
SIZE
Φ1100*H1050 CBM
0.32



Backyard-C
SIZE
W2200*D950*H1000 CBM
0.63



- * Wooden structure, sponge and fabric upholstery;
- * Tree: Artificial, tree trunk may made of solid timber;
- * Modular;



Mounting-tree

SIZE
H1550

CBM
0.20



Mounting-B

SIZE
W1250/1500*D680*H620

CBM
0.58/0.70



Mounting-A

SIZE
W1000*D680*H320

CBM
0.24



Mounting-C

SIZE
W1250/1500*D680*H620

CBM
0.58/0.70





* Wooden structure, sponge and fabric upholstery;
* Modular;



Superman-C
SIZE
W1280*D800*H630 CBM
1.64



Superman-A
SIZE
W1760*D1250*H630 CBM
1.64



Superman-D
SIZE
W1000/1600*D800*H630 CBM
0.63/0.98



Superman-B
SIZE
W1500*D1500*H630 CBM
1.68



Superman-E
SIZE
W800*D800*H375 CBM
0.31

SET UP EXAMPLES



CBM
3.10



CBM
1.60



CBM
4.30



CBM
3.90




- * Wooden structure, sponge and fabric upholstery;
- * Injection foam;
- * Metal frame available in black, red & timber look;
- * Single version available in regular & high back;



Ella-A1s

SIZE CBM
W850*D850*H1000 0.60



Ella-B1s

SIZE CBM
W850*D850*H750 0.60

Ella-B2s

SIZE CBM
W1650*D850*H750 1.14

Ella-B3s

SIZE CBM
W2000*D850*H750 0.60



Lam Metal 1S

SIZE CBM
W820*D810*H780 0.60



Lam Metal 2S

SIZE CBM
W1270*D810*H780 0.60



Lam Timber 1S

SIZE CBM
W750*D790*H780 0.57



Lam Timber 2S

SIZE CBM
W1370*D790*H780 0.60

- * Quality high density foam; * Fabric/vinyl upholstery;
- * Or solid ash stained in black; * Solid wooden structure;
- * Lam available by powder coated metal frame by black;

GAGA SEATING

Benches + Ottomans >>>>>

- * Quality high density foam;
- * Fabric/vinyl upholstery;
- * Solid wooden structure;
- * Powder coated steel profile frame;



Gaga 1S

SIZE CBM
W1000*D820*H680 0.65

Gaga 2S

SIZE CBM
W1500*D820*H680 0.98

Gaga 3S

SIZE CBM
W2000*D820*H680 1.30



BENE SEATING

Benches + Ottomans >>>>>

- * Quality high density foam;
- * Fabric/vinyl upholstery;
- * Solid wooden structure;
- * Powder coated steel profile frame;



Bene 1S

SIZE CBM
W940*D930*H850 0.87

Bene 2S

SIZE CBM
W1600*D930*H850 1.50

Bene 3S

SIZE CBM
W2100*D930*H850 1.85




green wave
general trading ltd

www.gwgttd.com

* Injection foam and fabric/vinyl upholstery;

* Metal frame available in black, red & blue;

* Modular;



Straight dual seat W/O back

SIZE CBM
W1470*D670*H400 0.52




Straight dual seat with back

SIZE CBM
W1470*D670*H760 0.92



Curve with back

SIZE CBM
W1660*D750*H760 1.20



Corner with back

SIZE CBM
W1470*D670*H760 0.92



Corner W/O back

SIZE CBM
W1470*D670*H400 0.52



Curve dual seat W/O back

SIZE CBM
W1470*D670*H760 0.52



Curve dual seat with back

SIZE CBM
W1580*D670*H760 0.98

SET UP EXAMPLES



CBM
4.12



CBM
6.64



CBM
5.80



CBM
4.80



CBM
2.84



- * Quality high density foam & fabric/vinyl upholstery;
- * Solid wooden structure;
- * Black Vinyl base or same fabric/Vinyl as the main body;
- * Modular;



Urban ottoman

SIZE
W620*D620*H430 CBM
0.20



Urban back

SIZE
W1200/1360*D350*H660 CBM
0.34



Urban armrest

SIZE
W950*D350*H660 CBM
0.23/0.34



Urban seater

SIZE
W1200/1360*D620*H430 CBM
0.41



Urban connector

SIZE
W290*D60*H150 CBM
0.012



MELODY
SEATING

Benches + Ottomans >>>>>

- * Quality high density foam;
- * Solid wooden structure;
- * Fabric/vinyl upholstery;
- * Black Powder coated metal frame & legs;



Melody 1S

SIZE
W960*D840*H720 CBM
0.44

Melody 2S

SIZE
W1560*D840*H720 CBM
0.90

Melody 3S

SIZE
W1960*D840*H720 CBM
0.92



SHIFT
SEATING

Benches + Ottomans >>>>>

- * Quality high density foam;
- * Fabric/vinyl upholstery;
- * Solid wooden structure;
- * Black Powder coated metal frame & legs;
- * High back top section with moduled ribs finishing;



SHIFT 1S

SIZE
W740*D750*H800 CBM
0.54



SHIFT 2S

SIZE
W1520*D750*H800 CBM
1.10



SHIFT 1S

SIZE
W930*D760*H1260 CBM
0.90



SHIFT 2S

SIZE
W1540*D760*H1260 CBM
1.70



Shift writing board fitting

SIZE
W450*D300*H414 CBM
0.004

- * Writing Board;
- * Swivel;
- * Solid timber top, metal frame;

* Wooden structure, sponge and fabric upholstery;

* Modular;



Jelly-A

SIZE
W910*D675*H380

CBM
0.23



Jelly-B

SIZE
W1150*D850*H620

CBM
0.60



Jelly-C

SIZE
W1000*D915*H620

CBM
0.56



Jelly-D

SIZE
W1000*D915*H620

CBM
0.56



Jelly-E

SIZE
W1835*D915*H620

CBM
1.04



Jelly-F

SIZE
W1835*D915*H620

CBM
1.04



Jelly-G

SIZE
W1000*D915*H420


CBM
0.57



Jelly-H

SIZE
W1835/2320*D915*H680

CBM
1.05/1.38





green wave
general trading ltd
www.gwgtitd.com

GREATWALL
SEATING

Benches + Ottomans >>>>



Great Wall Bench A

SIZE
W1600/2000*D750*H400 CBM
0.48/0.98



Great Wall Bench B

SIZE
W1600/2000*D750*H650 CBM
0.78/0.98



Great Wall Bench C

SIZE
W1600/2000*D750*H900 CBM
1.08/1.35



Great Wall Curve Bench A

SIZE
W2500*D750*H400 CBM
0.75



Great Wall Curve Bench B

SIZE
W2500*D750*H650 CBM
1.21



Great Wall Curve Bench C

SIZE
W2500*D750*H900 CBM
1.68



Bench Writing board

SIZE
W1550/1950*D300 CBM
0.28/0.35



Curve writing board

SIZE
W1550/2230*D445/554 CBM
0.41/0.72



Great wall curve Wall

SIZE
W2500*D630*H1250/1750 CBM
0.92



Greatwall straight wall A

SIZE
W2000*D250*H1250 CBM
0.63



Greatwall straight wall B

SIZE
W2000*D250*H1500 CBM
0.75



Greatwall straight wall B

SIZE
W2000*D250*H1750 CBM
0.88



Greatwall straight wall C

SIZE
W2000*D440*H1750 CBM
1.54



Greatwall straight wall D

SIZE
W2000*D440*H1750 CBM
2.62



Greatwall straight wall E

SIZE
W2000*D440*H1750 CBM
3.20



Greatwall straight wall F

SIZE
W2000*D440*H1750 CBM
2.00



Great Wall phone pod

SIZE
W1400*D1000*H2250 CBM
3.15



DESKS

Height Adjust Workstation

Fixed Height Workstation

Collaboration

Private Offices

Conference

Occasional Tables



GRADE A/B/C/D/E

GRADE L1/L2/L3/L4

The above code indicates the classification of different materials.
Refer to Colorlab for more details.



Single desk



B2B workstation

- * Dual Timotion motor per seat by CE/UL/SAA certified;
- * 25mm laminated desktop with scallop cut (optional by powder coated blade edge or HPL plywood sharknose edge);
- * Black or White Powder coated frame;
- * Solid beech timber leg;
- * Up to 10 screen options;
- * 3 stage electric height adjust 650-1280mm;
- * Anti-Collision safety technology;
- * Optional with Bluetooth control;
- * Integrated cable duct channel with COM cutout;

Single desk

SIZE
W1200*D750
W1500*D750

SIZE
W1800*D750
W2000*D750

B2B workstation with Bridge cable duct

MADE TO ORDER
MOQ 20 SETS

Grade A: Standard in house Motor; Grade B: Timotion motor;



INTERACTION
DESKS+TABLES



green wave
general trading ltd

www.gwgttd.com



Single desk



B2B Workstation



3-way Workstation



Corner Workstation

Single desk

SIZE	CBM
W1200*D600	0.2
W1500*D700	0.2
W1500*D750	0.2
W1800*D750	0.2
W2100*D750	0.2
W2400*D750	0.2

B2B workstation with Bridge cable duct

SIZE	CBM
W1200*D1200	0.4
W1500*D1500	0.4
W1600*D1500	0.4
W1800*D1500	0.4
W2100*D1500	0.4

3-way workstation

SIZE	CBM
W1200*W1200*D700	0.4
W1500*W1200*D700	0.4

Corner workstation

SIZE	CBM
W1600*W1600*D750	0.3
W1800*W1600*D750	0.3
W2200*W1600*D750	0.3

- * Dual Timotion motor per seat by CE/UL/SAA certified; * Black or White Powder coated frame;
- * 25mm laminated desktop with scallop cut (optional by powder coated blade edge or HPL plywood sharknose edge)
- * Square/Rectangular leg profile; * Up to 10 screen options; * 3 stage electric height adjust 650-1280mm;
- * Anti-Collision safety technology; * Optional with Bluetooth control; * Optional Integrated cable duct channel with COM cutout;

Grade A: Standard in house Motor; Grade B: Timotion motor;





CBM: 0.05

Bridge cable duct to suit single or corner workstation

- * Size to suit the table top;
- * Should be ordered with table together as pre-drilled fixing;
- * Bracket is required;
- * With custom GPO/Power strip cutout;



CBM: 0.03 — 950w to suit 1200W top
CBM: 0.04 — 1250w to suit 1500W top
CBM: 0.04 — 1550w to suit 1800W top

Wire basket single tier

- * To be fitted underneath table top;
- * Powder coated metal finish in white;
- * ABS fixing bracket in white;



CBM: 0.01

Cable socks umbilical 1050

- * Fabric upholstery;
- * With zipper and inner bag for power & data segregation;
- * 1050mm height between bridge cable duct to table top ;
- * Colour in Grey;



CBM: 0.02

Ploy umbilical cable riser 1050/1350

- * Modular ABS finishing;
- * 1050/1350mm height between bridge cable duct to table top;



CBM: 0.01

Horizontal connector

- * To be fitted between workstation side to side;




CBM: 0.01

Vertical Power box

- * Applied power access from floor box to bridge duct;

COLLAB
DESKS+TABLES





- * Dual Timotion or Linak motor per seat by CE/UL/SAA certified;
- * 25mm laminated desktop with scallop cut (optional by powder coated blade edge or HPL plywood sharknose edge);
- * Black or White Powder coated frame;
- * Square/Rectangular/Round leg profile;
- * 3 stage electric height adjust 650-1280mm;
- * Anti-Collision safety technology;
- * Optional with Bluetooth control;
- * Integrated cable duct channel with COM cutout;
- * Up to 10 screen options; * Tailor made cluster service available;



Single desk with Bridge cable duct

SIZE	CBM
W1200*D750	0.2
W1500*D750	0.2
W1800*D750	0.2
W2100*D750	0.2
W2400*D750	0.2



B2B desk with Bridge cable duct

SIZE	CBM
W1400*D1400	0.4
W1500*D1400	0.4
W1800*D1400	0.4
W1800*D1500	0.4

Grade A: Standard in house Motor; Grade B: Timotion motor;





D end leg-750/1050H-fixed height

SIZE
W1400*D1200*750/1050 CBM
0.20



D end leg-1050H-fixed height

SIZE
W900*D900*1050 CBM
0.20



O end leg-750 to 1050H-adjust height

Gas life height adjust device;
SIZE CBM
W900*D900*750-1050 0.20



Extension function rail

SIZE CBM
W1800*D380*H545 0.20




Extension function rail With cushion seat pad

SIZE CBM
W1800*D380*H550 0.10



Extension function rail

Gas life height adjust device;
SIZE CBM
W1000*D80*H80 0.01




Horizontal connector

To be fitted between workstation side to side
SIZE CBM
W1800*D380*H545 0.10



Vertical Power box

Applied power access from floor box to bridge duct;
SIZE CBM
W1800*D380*H550 0.01




Planter box

Metal with powder coat with fixing bracket to t
SIZE
W1100*D184*H150

JUTE
DESKS+TABLES





- * Black or White Powder coated frame;
- * Square/Rectangular leg profile;
- * Up to 10 screen options;
- * 3 stage electric height adjust 560-1224mm;
- * Anti-Collision safety technology;
- * With Surcharge USD 11 per seat for Column leg;



Single desk

SIZE	CBM
W1400*D600	0.2
W1500*D700	0.2
W1600*D750	0.2
W1800*D750	0.2



B2B workstation

SIZE	CBM
W1400*D1450	0.4
W1500*D1450	0.4
W1600*D1450	0.4
W1800*D1650	0.4

Grade A: Standard in house Motor; Grade B: Linak motor;




table top cutout

SIZE
W1400/1500/1600/1800

E0 laminated with finishing, with round corner, with scallop cut;



Bridge cable duct with COM cutout

SIZE
W1235/1335/1435/1635

Metal with powder coated, incl. accessories;



Table top sliding device

SIZE
Standard


Metal with powder coated, incl. accessories;



Monitor arm supporting accessories

SIZE
Standard

Metal with powder coated, incl. accessories;



25mm THK Alu side screen

SIZE
W1400/1500/1600/1800

Alu side with MDF with upholstery;
Available for the parts on screen;



Single floor cabling box

SIZE
W200*D40*H425

Metal with powder coated, incl. accessories;



Metal cabling track

SIZE
Standard

Metal with powder coated, incl. accessories;



Functional rail

SIZE
Standard

Metal with powder coated, incl. accessories;



CPU holder

SIZE
W220*D500*H480

Metal with powder coated, incl. accessories;



25mm THK Alu frame screen

SIZE
W1400/1500/1600/1800

Alu frame with MDF with upholstery;
Available for the parts on screen;



Dual floor cabling box

SIZE
W200*D200*H425


Metal with powder coated, incl. accessories;



Fabric socks cabling track

SIZE
Fabric with Zipper


With individual inner power/data bag;



Book Stand

SIZE
W305*D210*H220

Metal with powder coated, incl. accessories;



Metal leg cover

SIZE
Plain finishing
Perforation details

Metal with powder coated, incl. accessories;



Monitor arm

SIZE
Single / Double

Imported brand;
Black or Silver Powder coated;



1 single side

SIZE	CBM
W1200*D600	0.14
W1400*D700	0.14
W1500*D700	0.14
W1500*D750	0.14
W1600*D700	0.14
W1600*D750	0.14
W1800*D750	0.14
W2100*D800	0.14



2 back to back

SIZE	CBM
W1200*D1200	0.22
W1400*D1400	0.22
W1500*D1400	0.22
W1500*D1500	0.22
W1600*D1400	0.22
W1600*D1500	0.22
W1800*D1500	0.22
W2100*D1600	0.22



2 single side

SIZE	CBM
W2400*D600	0.22
W2800*D700	0.22
W3000*D700	0.22
W3000*D750	0.22
W3200*D700	0.22
W3200*D750	0.22
W3600*D750	0.22
W4200*D800	0.22



4 back to back

SIZE	CBM
W2400*D1200	0.32
W2800*D1400	0.32
W3000*D1400	0.32
W3000*D1500	0.32
W3200*D1400	0.32
W3200*D1500	0.32
W3600*D1500	0.32
W4200*D1600	0.32



3 single side

SIZE	CBM
W3600*D600	0.30
W4200*D700	0.30
W4500*D700	0.30
W4500*D750	0.30
W4800*D700	0.30
W4800*D750	0.30
W5400*D750	0.30
W6300*D800	0.30



6 back to back

SIZE	CBM
W3600*D1200	0.45
W4200*D1400	0.45
W4500*D1400	0.45
W4500*D1500	0.45
W4800*D1400	0.45
W4800*D1500	0.45
W5400*D1500	0.45
W6300*D1600	0.45

- * House special D leg metal profile with powder coat;
- * 25mm laminated desktop with scallop cut/Power access cutout;
- * Black /White Powder coated frame;
- * With underneath cable duct channel by COM cutout;
- * Height adjust feet;



Straight Desk W Storage

SIZE	CBM
W1500/1500*D600/750	0.22
W1800/1800*D800/600	0.22
W2200/2200*D800/600	0.22



Meeting table

SIZE	CBM
W1800*D800	0.20
W2200*D1000	0.22
W2400*D1000	0.30
W2800*D1200	0.32
W3200*D1200	0.32
W3600*D1200	0.32
W4500*D1200	0.32



Modesty Panel/Metal

- * Powder coated metal sheet with perforation details;
- * With fixing bracket included;

SIZE	CBM
W1000*H400(to W1200)	0.02
W1200*H400(to W1400)	0.02
W1400*H400(to W1600)	0.02
W1600*H400(to W1800)	0.02
W1800*H400(to W2000)	0.02



Modesty Panel/Laminate

- * 16mm thick laminated panel;
- * With fixing bracket included;

SIZE	CBM
W1000*H400(to W1200)	0.02
W1200*H400(to W1400)	0.02
W1400*H400(to W1600)	0.02
W1600*H400(to W1800)	0.02
W1800*H400(to W2000)	0.02

ASPECT
DESKS+TABLES





- * Available with U shape leg as standard and O shape as optional
- * 25mm laminated desktop with scallop cut/Power access cutout
- * Black /White Powder coated frame
- * With underneath cable duct channel by COM cutout
- * Height adjust feet



Single workstation 750H



SIZE	CBM
W1200*D600	0.14
W1400*D700	0.16
W1500*D700	0.16
W1500*D750	0.16
W1600*D700	0.16
W1600*D750	0.16
W1800*D750	0.16
W2100*D800	0.16

2 S2S workstation 750H



SIZE	CBM
W2400*D600	0.22
W2800*D700	0.22
W3000*D700	0.22
W3000*D750	0.22
W3200*D700	0.22
W3200*D750	0.22
W3600*D750	0.24
W4200*D800	0.25

3 S2S workstation 750H



SIZE	CBM
W3600*D600	0.3
W4200*D700	0.3
W4500*D700	0.3
W4500*D750	0.3
W4800*D700	0.3
W4800*D750	0.32
W5400*D750	0.32
W6300*D800	0.32



2 B2B workstation 750H

SIZE	CBM
W1200*D1200	0.22
W1400*D1400	0.22
W1500*D1400	0.22
W1500*D1500	0.22
W1600*D1400	0.22
W1600*D1500	0.25
W1800*D1500	0.25
W2100*D1600	0.27



4 B2B workstation 750H

SIZE	CBM
W2400*D1200	0.32
W2800*D1400	0.32
W3000*D1400	0.32
W3000*D1500	0.32
W3200*D1400	0.32
W3200*D1500	0.35
W3600*D1500	0.37
W4200*D1600	0.37



6 B2B workstation 750H

SIZE	CBM
W3600*D1200	0.45
W4200*D1400	0.45
W4500*D1400	0.45
W4500*D1500	0.45
W4800*D1400	0.45
W4800*D1500	0.48
W5400*D1500	0.48
W6300*D1600	0.50



Corner workstation

SIZE	CBM
W1600/1600*D750/600	0.2
W1800/1800*D800/600	0.22
W2200/2200*D800/600	0.22
W2200/2200*D800/600	0.22



Meeting table A

SIZE	CBM
W1800*D800	0.16
W2200*D1000	0.16
W2400*D1000	0.16



Meeting table B

SIZE	CBM
W2800*D1200	0.32
W3200*D1200	0.32
W3600*D1200	0.32
W4500*D1200	0.32


FAB
DESKS+TABLES




green wave
general trading ltd

www.gwgttd.com

- * House special curved 60*30mm metal leg profile with powder coat
- * 25mm laminated desktop with scallop cut/Power access cutout
- * Black /White Powder coated frame
- * With underneath cable duct channel by COM cutout
- * Height adjust feet



Single workstation 750H

SIZE	CBM
W1200*D600	0.14
W1400*D700	0.16
W1500*D700	0.16
W1500*D750	0.16
W1600*D700	0.16
W1600*D750	0.16
W1800*D750	0.16
W2100*D800	0.17



2 S2S workstation 750H

SIZE	CBM
W2400*D600	0.22
W2800*D700	0.22
W3000*D700	0.22
W3000*D750	0.22
W3200*D700	0.22
W3200*D750	0.22
W3600*D750	0.24
W4200*D800	0.25



3 S2S workstation 750H

SIZE	CBM
W3600*D600	0.30
W4200*D700	0.30
W4500*D700	0.30
W4500*D750	0.30
W4800*D700	0.30
W4800*D750	0.32
W5400*D750	0.32
W6300*D800	0.32





2 B2B workstation 750H

SIZE	CBM
W1200*D1200	0.22
W1400*D1400	0.22
W1500*D1400	0.22
W1500*D1500	0.22
W1600*D1400	0.22
W1600*D1500	0.25
W1800*D1500	0.25
W2100*D1600	0.27



4 B2B workstation 750H

SIZE	CBM
W2400*D1200	0.32
W2800*D1400	0.32
W3000*D1400	0.32
W3000*D1500	0.32
W3200*D1400	0.32
W3200*D1500	0.35
W3600*D1500	0.37
W4200*D1600	0.37



6 B2B workstation 750H

SIZE	CBM
W3600*D1200	0.45
W4200*D1400	0.45
W4500*D1400	0.45
W4500*D1500	0.45
W4800*D1400	0.45
W4800*D1500	0.48
W5400*D1500	0.48
W6300*D1600	0.50



2 B2B draft workstation 1050H

SIZE	CBM
W1200*D1200	0.24
W1400*D1400	0.24
W1500*D1400	0.24
W1500*D1500	0.24
W1600*D1400	0.24
W1600*D1500	0.27
W1800*D1500	0.27



4 B2B draft workstation 1050H

SIZE	CBM
W2400*D1200	0.34
W2800*D1400	0.34
W3000*D1400	0.34
W3000*D1500	0.34
W3200*D1400	0.34
W3200*D1500	0.39
W3600*D1500	0.39



6 B2B draft workstation 1050H

SIZE	CBM
W3600*D1200	0.47
W4200*D1400	0.47
W4500*D1400	0.47
W4500*D1500	0.47
W4800*D1400	0.47
W4800*D1500	0.49
W5400*D1500	0.49



Leaner table 1050H

SIZE	CBM
W1200*D500	0.16
W1500*D500	0.16
W1800*D500	0.16



Leaner table 1050H

SIZE	CBM
W1500*D700	0.2
W1800*D800	0.2
W2200*D900	0.2



Leaner table 1050H

SIZE	CBM
W2800*D1100	0.28
W3200*D1100	0.28
W3600*D1100	0.3
W4200*D1100	0.3





Executive table

SIZE	CBM
W1600/1600*D500/800*H600/750	0.25
W1600/1800*D500/800*H600/750	0.25
W1800/2200*D500/800*H600/750	0.27



Meeting table 750H

SIZE	CBM
Dia.1000*H750	0.16
Dia.1200*H750	0.16
Dia.1500*H750	0.17



Meeting table 750H

SIZE	CBM
W1800*D800	0.19
W2200*D1000	0.20
W2400*D1200	0.21



Meeting table 750H

SIZE	CBM
W1800*D800	0.18
W2200*D900	0.18
W2400*D1000	0.2



Meeting table 750H

SIZE	CBM
W2800*D1200	0.24
W3200*D1200	0.24
W4200*D1200	0.25
W4800*D1200	0.26



Meeting table 750H

SIZE	CBM
W1800*D800	0.2
W2200*D900	0.22
W2800*D1200	0.24
W3200*D1200	0.24
W3600*D1200	0.25
W4200*D1400	0.26
W4800*D1400	0.27



Planter Box

SIZE	CBM
W400*D150*H150	0.02

Metal with powder coat
Greens excluded



Power cabling box

SIZE	CBM
W300*D300*H725	0.02
W300*D300*H1025	0.03

Metal with powder coat
Greens excluded



Castors

	CBM
Universal	castor

W OR W/O break


PEAK
DESKS+TABLES



green wave
general trading LLC

www.gwgttd.com

- * House special curved 60*30mm metal leg profile with powder coat;
- * 25mm laminated desktop with scallop cut/Power access cutout;
- * Black /White Powder coated frame;
- * With underneath cable duct channel by COM cutout;
- * Height adjust feet;



Single workstation 750H

SIZE	CBM
W1200*D600	0.14
W1400*D700	0.16
W1500*D700	0.16
W1500*D750	0.16
W1600*D700	0.16
W1600*D750	0.16
W1800*D750	0.16
W2100*D800	0.17



2 S2S workstation 750H

SIZE	CBM
W2400*D600	0.22
W2800*D700	0.22
W3000*D700	0.22
W3000*D750	0.22
W3200*D700	0.22
W3200*D750	0.22
W3600*D750	0.24
W4200*D800	0.25



3 S2S workstation 750H

SIZE	CBM
W3600*D600	0.30
W4200*D700	0.30
W4500*D700	0.30
W4500*D750	0.30
W4800*D700	0.30
W4800*D750	0.32
W5400*D750	0.32
W6300*D800	0.32



2 B2B workstation 750H

SIZE	CBM
W1200*D1200	0.22
W1400*D1400	0.22
W1500*D1400	0.22
W1500*D1500	0.22
W1600*D1400	0.22
W1600*D1500	0.25
W1800*D1500	0.25
W2100*D1600	0.27



4 B2B workstation 750H

SIZE	CBM
W2400*D1200	0.32
W2800*D1400	0.32
W3000*D1400	0.32
W3000*D1500	0.32
W3200*D1400	0.32
W3200*D1500	0.35
W3600*D1500	0.37
W4200*D1600	0.37



6 B2B workstation 750H

SIZE	CBM
W3600*D1200	0.45
W4200*D1400	0.45
W4500*D1400	0.45
W4500*D1500	0.45
W4800*D1400	0.45
W4800*D1500	0.48
W5400*D1500	0.48
W6300*D1600	0.50



Single workstation with Storage 750H

SIZE	CBM
W1200*D600/W1200*D350*H650	0.25
W1400*D700/W1200*D350*H650	0.25
W1500*D700/W1200*D350*H650	0.25



2 S2S workstation with Storage 750H

SIZE	CBM
W2400*D600/W1200*D600*H650	0.50
W2800*D600/W1200*D600*H650	0.50
W3000*D600/W1200*D600*H650	0.50



2 B2B workstation with Storage 750H

SIZE	CBM
W1200*D1200/W2400*D350*H650	0.50
W1400*D1400/W2400*D350*H650	0.50
W1500*D1400/W2400*D350*H650	0.50



4 B2B workstation with Storage 750H

SIZE	CBM
W2400*D1200/W2400*D350*H650	0.65
W2800*D1400/W2400*D350*H650	0.65
W3000*D1400/W2400*D350*H650	0.65



3-way workstation 750H

SIZE	CBM
W1100*W1100*D700/700	0.40
W1200*W1200*D700/700	0.40



Executive table 750H

SIZE	CBM
W1600*D800/W1600*D500*H600	0.25
W1800*D800/W1600*D500*H600	0.25
W2200*D900/W1800*D500*H600	0.27



Leaner table 1050H

SIZE	CBM
W1200*D600	0.16
W1600*D600	0.16
W1800*D600	0.16
W2200*D800	0.20
W2800*D800	0.28
W3200*D800	0.28



Meeting table 750H

SIZE	CBM
W1800*D800	0.19
W2200*D1000	0.2
W2400*D1000	0.20



W2800*D1200	0.24
W3500*D1200	0.24
W4200*D1200	0.25
W4800*D1400	0.26



Wooden Leg

Standard	CBM
Standard	0.01



| NEXT
DESKS+TABLES



green wave
general trading ltd

www.gwgttd.com

- * Available with U shape leg as standard;
- * 25mm laminated desktop with scallop cut/Power access cutout;
- * Black /White Powder coated frame;
- * With underneath cable duct channel by COM cutout;
- * Height adjust feet;



Single workstation 750H

SIZE	CBM
W1200*D600	0.14
W1400*D700	0.16
W1500*D700	0.16
W1500*D750	0.16
W1600*D700	0.16
W1600*D750	0.16
W1800*D750	0.16
W2100*D800	0.16



2 S2S workstation 750H

SIZE	CBM
W2400*D600	0.22
W2800*D700	0.22
W3000*D700	0.22
W3000*D750	0.22
W3200*D700	0.22
W3200*D750	0.22
W3600*D750	0.24
W4200*D800	0.25



3 S2S workstation 750H

SIZE	CBM
W3600*D600	0.30
W4200*D700	0.30
W4500*D700	0.30
W4500*D750	0.30
W4800*D700	0.30
W4800*D750	0.32
W5400*D750	0.32
W6300*D800	0.32



2 B2B workstation 750H

SIZE	CBM
W1200*D1200	0.22
W1400*D1400	0.22
W1500*D1400	0.22
W1500*D1500	0.22
W1600*D1400	0.22
W1600*D1500	0.25
W1800*D1500	0.25
W2100*D1600	0.27



4 B2B workstation 750H

SIZE	CBM
W2400*D1200	0.32
W2800*D1400	0.32
W3000*D1400	0.32
W3000*D1500	0.32
W3200*D1400	0.32
W3200*D1500	0.35
W3600*D1500	0.37
W4200*D1600	0.37



6 B2B workstation 750H

SIZE	CBM
W3600*D1200	0.45
W4200*D1400	0.45
W4500*D1400	0.45
W4500*D1500	0.45
W4800*D1400	0.45
W4800*D1500	0.48
W5400*D1500	0.48
W6300*D1600	0.50



Corner workstation 750H

SIZE	CBM
W1600/1600*D750/600	0.20
W1800/1800*D800/600	0.22
W2200/2200*D800/600	0.22
W2200/2200*D800/600	0.22



Meeting table 750H

SIZE	CBM
W1800*D800	0.16
W2200*D1000	0.16
W2400*D1000	0.16



Meeting table 750H

SIZE	CBM
W2800*D1200	0.32
W3200*D1200	0.32
W3600*D1200	0.32
W4500*D1400	0.32

FOCUS
DESKS+TABLES





Focus pods is a refined privacy pod that are agile, insightful and adaptive. It presents a good understanding of the ways we are working today from general work point to hybrid work model, from ABW style to meeting and collaboration, Focus pods provide maximum freedom and adaptability to work your way.

FOCUS BETTER

Based on standard Focus, Focus Better is fabricated with extra double sided 5mm EVA rubber before fabric upholstery, it gives more acoustic performance and pinnable.

Sur Better is subject to the extra Sur-charge based on standard focus price range.

- * 25mm frameless wooden panel;
- * Underneath tabletop metal stiffener;
- * Fabric upholstery available in iWork Commercial Colour Lab range fabric options;
- * Adjustable feet;



Focus Straight Work Pod Single

SIZE	Table:W1200*D600*H750	CBM
Pod:W1260*D900*H1200		0.17
Pod:W1560*D900*H1200	Table:W1500*D700*H750	0.18
Pod:W1860*D900*H1200	Table:W1800*D700*H750	0.19
Pod:W1260*D900*H1350	Table:W1200*D600*H750	0.19
Pod:W1560*D900*H1350	Table:W1500*D700*H750	0.20
Pod:W1860*D900*H1350	Table:W1800*D700*H750	0.22



Focus Straight Bench Seat

SIZE	Sofa:W1180*D660*H760	CBM
Pod:W1260*D900*H1200		1.33
Pod:W1560*D900*H1200	Sofa:W1480*D660*H760	1.64
Pod:W1860*D900*H1200	Sofa:W1780*D660*H760	1.96
Pod:W1260*D900*H1350	Sofa:W1180*D660*H760	1.35
Pod:W1560*D900*H1350	Sofa:W1480*D660*H760	1.66
Pod:W1860*D900*H1350	Sofa:W1780*D660*H760	1.98



Extended Straight Work Pod Single

SIZE	Table:W1200*D600*H750	CBM
Pod:W1230*D900*H1200		0.14
Pod:W1530*D900*H1200	Table:W1500*D700*H750	0.15
Pod:W1830*D900*H1200	Table:W1800*D700*H750	0.16
Pod:W1230*D900*H1350	Table:W1200*D600*H750	0.15
Pod:W1530*D900*H1350	Table:W1500*D700*H750	0.17
Pod:W1830*D900*H1350	Table:W1800*D700*H750	0.18





Focus Straight Work Pod Single

SIZE	Table:W	D	H	CBM
Pod:W1230*D900*H1200	Table:W1200	D600	H750	0.14
Pod:W1530*D900*H1200	Table:W1500	D700	H750	0.16
Pod:W1830*D900*H1200	Table:W1800	D700	H750	0.17
Pod:W1230*D900*H1350	Table:W1200	D600	H750	0.15
Pod:W1530*D900*H1350	Table:W1500	D700	H750	0.17
Pod:W1830*D900*H1350	Table:W1800	D700	H750	0.18



Focus Extended Straight Bench Seat

SIZE	Sofa:W	D	H	CBM
Pod:W1260*D900*H1200	Sofa:W1180	D660	H760	1.33
Pod:W1560*D900*H1200	Sofa:W1480	D660	H760	1.64
Pod:W1860*D900*H1200	Sofa:W1780	D660	H760	1.96
Pod:W1260*D900*H1350	Sofa:W1180	D660	H760	1.35
Pod:W1560*D900*H1350	Sofa:W1480	D660	H760	1.66
Pod:W1860*D900*H1350	Sofa:W1780	D660	H760	1.98



Focus Extended S shaped Bench Seat

SIZE	Sofa:W	D	H	CBM
Pod:W1260*D900*H1200	Sofa:W1200	D600	H750	1.33
Pod:W1560*D900*H1200	Sofa:W1500	D700	H750	1.64
Pod:W1860*D900*H1200	Sofa:W1800	D700	H750	1.96
Pod:W1260*D900*H1350	Sofa:W1200	D600	H750	1.35
Pod:W1560*D900*H1350	Sofa:W1500	D700	H750	1.66
Pod:W1860*D900*H1350	Sofa:W1800	D700	H750	1.98





Focus B2B Work Pod 2P

SIZE	Table:	CBM
Pod:W1260*D1800*H1200	Table:W1200*D600*H750	0.31
Pod:W1560*D1800*H1200	Table:W1500*D700*H750	0.32
Pod:W1860*D1800*H1200	Table:W1800*D700*H750	0.33
Pod:W1260*D1800*H1350	Table:W1200*D600*H750	0.33
Pod:W1560*D1800*H1350	Table:W1500*D700*H750	0.35
Pod:W1860*D1800*H1350	Table:W1800*D700*H750	0.36



Focus B2B Work Pod 4P

SIZE	Table:	CBM
Pod:W2490*D1800*H1200	Table:W1200*D600*H760	0.53
Pod:W3090*D1800*H1200	Table:W1500*D700*H760	0.56
Pod:W3690*D1800*H1200	Table:W1800*D700*H760	0.59
Pod:W2490*D1800*H1350	Table:W1200*D600*H760	0.57
Pod:W3090*D1800*H1350	Table:W1500*D700*H760	0.61
Pod:W3690*D1800*H1350	Table:W1800*D700*H760	0.63



Focus Extended B2B Work Pod 2P

SIZE	Table:	CBM
Pod:W1230*D1800*H1200	Table:W1200*D600*H750	0.22
Pod:W1530*D1800*H1200	Table:W1500*D700*H750	0.24
Pod:W1830*D1800*H1200	Table:W1800*D700*H750	0.25
Pod:W1230*D1800*H1350	Table:W1200*D600*H750	0.24
Pod:W1530*D1800*H1350	Table:W1500*D700*H750	0.26
Pod:W1830*D1800*H1350	Table:W1800*D700*H750	0.27





Focus Corner Work Pod Single

SIZE	Table	CBM
Pod:W1560/1600*D900*H1200	Table:W1500*D700*H750	0.28
Pod:W1860/1800*D900*H1200	Table:W1500*D700*H750	0.29
Pod:W1560/1600*D900*H1200	Table:W1500*D700*H750	0.31
Pod:W1860/1800*D900*H1350	Table:W1800*D700*H750	0.33



Focus Corner Work Pod B2B

SIZE	Table	CBM
Pod:W1560/3200*D900*H1200	Table:W1500*D700*H750	0.56
Pod:W1860/3600*D900*H1200	Table:W1500*D700*H750	0.59
Pod:W1560/3200*D900*H1200	Table:W1500*D700*H750	0.62
Pod:W1860/3600*D900*H1350	Table:W1800*D700*H750	0.66



Focus Hex Work Pod-Solo

SIZE	Table	CBM
Pod:W1560*D1560*H1200	Table:W1560*D750*H750	0.28
Pod:W1560*D1800*H1350	Table:W1560*D750*H750	0.30



Focus Hex Work Pod-Open

SIZE	Table	CBM
Pod:W1560*D1560*H1200	Table:W1560*D750*H750	0.24
Pod:W1560*D1800*H1350	Table:W1560*D750*H750	0.25




Focus Hex Work Pod-Trapezium

SIZE	Table	CBM
Pod:W1560*D1560*H1200	Table:W1560*D750*H750	0.19
Pod:W1560*D1560*H1350	Table:W1560*D750*H750	0.20



Focus Hex Work Pod-Wave

SIZE	Table	CBM
Pod:W1560*D1560*H1200	Table:W1560*D450*H1050	0.14
Pod:W1560*D1560*H1350	Table:W1500*D450*H1050	0.15



- * Available by 3 finishings-Laminated/Power coated/Timber veneered;
- * With integrated build-in electric height adjust table frame;
- * Dual Timotion electric motor by CE/UL/SAA certified;
- * With underneath cable duct channel;
- * Drawers and cupboard return with numbers lock;



Laminated Top
Laminated Return



Powder coated Top
Laminated Return



Timber Veneered top
Timber Veneered Return

Table | Return


SIZE	CBM
W1600*D850*H750-1280 W1600*D500*H500	1.00
W1800*D850*H750-1280 W1600*D500*H500	1.00
W2000*D850*H750-1280 W1600*D500*H500	1.20
W2400*D850*H750-1280 W2000*D500*H500	1.40



- * Top by 40mm thick timber veneer with blade edge details;
- * With fixed or integrated build-in electric height adjust table frame;
- * Leg finished with timber veneer; * By Blum or equaled soft closing hardware;
- * Return by joint 45 degree edge details; * Return with drawers and cupboard;

Height Adjust Table | Return

SIZE	CBM
W2000*D1085/796*H750-1250 W1800*D500*H600	1.20
W2400*D1185/847*H750-1250 W2400*D500*H600	1.50
W2600*D1185/847*H750-1250 W2400*D500*H600	1.60



Fixed Height Table | Return


SIZE	CBM
W2000*D1085/796*H750 W1800*D500*H600	1.20
W2400*D1185/847*H750 W2400*D500*H600	1.50
W2600*D1185/847*H750 W2400*D500*H600	1.60



Meeting & Boardroom

Build in power strip under table with veneered wooden cover

SIZE	CBM
W2400*D1200*H750	0.50
W2800*D1200*H750	0.60
W3200*D1200*H750	0.65
W4000*D1400*H750	0.80
W4800*D1400*H750	1.00





- * 60mm thick top by Italy Fenix or Timber veneer
- * Blade top edge details
- * Build in Timotion/Linak electric height adjust table system;
- * Leg finished by stainless steel
- * Return by 3 drawers and cupboard with timber veneer finish
- * With build in power strip;



Veneered Table top | Veneered Return

SIZE	CBM
W2200*D900*H750-1250 W1800*D500*H580	0.50
W2400*D900*H750-1250 W2000*D500*H580	0.52
W2600*D900*H750-1250 W2400*D500*H580	0.54
W2800*D900*H750-1250 W2400*D600*H580	0.56
W3000*D900*H750-1250 W2400*D600*H580	0.58



Fenix Table top | Veneered Return

SIZE	CBM
W2200*D900*H750-1250 W1800*D500*H580	0.50
W2400*D900*H750-1250 W2000*D500*H580	0.52
W2600*D900*H750-1250 W2400*D500*H580	0.54
W2800*D900*H750-1250 W2400*D600*H580	0.56
W3000*D900*H750-1250 W2400*D600*H580	0.58



Veneered Table top | Veneered Return

SIZE	CBM
W3600/2400*D900*H750-1250 W2400*D600*H580	1.00
W4000/2800*D900*H750-1250 W2400*D600*H580	1.00



Meeting & Boardroom | Veneer

SIZE	CBM
W2400*D900*H750-1250	0.40
W2800*D1000*H750-1250	0.45

W3000*D1200*H750-1250	0.50
W4200*D1200*H750-1250	0.55

W1500*D1150*H750-1250	0.30
W1800*D1350*H750-1250	0.40

Meeting & Boardroom | Fenix

SIZE	CBM
W2400*D900*H750-1250	0.40
W2800*D1000*H750-1250	0.45

W3000*D1200*H750-1250	0.50
W4200*D1200*H750-1250	0.55

W1500*D1150*H750-1250	0.30
W1800*D1350*H750-1250	0.40

THINK LAMINATED

- * 40mm thick laminated top flat matching edge;
- * Return with Alu alloy brush power access;
- * Return with CPU holder, 3-drawer and sliding door;
- * With modesty panel; * 2x stiffener beam underneath table top;



Laminated Table Top | Laminated Return

SIZE	CBM
W1800*D800*H760 W1600*D500*H600	0.30
W2000*D900*H760 W1800*D500*H600	0.35
W2200*D900*H760 W1800*D500*H600	0.40
W2400*D1000*H760 W2000*D500*H600	0.45



THINK VENEERED

- * 45mm thick timber veneered top flat matching edge;
- * Integrated power box equipped with 2 power, 1 USB, 1 DATA, 1 TEL, 1 VGA;
- * Return with CPU holder, 3-drawer and sliding door;
- * Drawers with numbers lock; * 2x stiffener beam underneath table top;

Veneered Table top | Veneered Return

SIZE	CBM
W1800*D800*H760 W1600*D500*H600	0.30
W2000*D900*H760 W1800*D500*H600	0.35
W2200*D900*H760 W1800*D500*H600	0.40
W2400*D1000*H760 W2000*D500*H600	0.45

SCOTT LAMINATED

- * 25mm thick laminated top flat matching edge;
- * Underneath wire management channel;
- * Powder coated metal table structure;
- * Build in power box; * With numbers lock;
- * Return with CPU holder, 3-drawer, cupboard;

Laminated top | Return

SIZE	CBM
W1800*D800*H750 W1800*D500*H600	0.40
W2000*D800*H750 W1800*D500*H600	0.42
W2200*D900*H750 W1800*D500*H600	0.45
W2400*D1000*H750 W2200*D600*H600	0.50



SCOTT VENEERD

- * 40mm thick timber veneered top sharknose edge;
- * Underneath wire management channel;
- * Powder coated metal table structure; * Return with CPU holder, 3-drawer, cupboard;
- * Build in power box; * With numbers lock;
- * Return door by timber veneer and laminated carcass;

Veneer top | Return

SIZE	CBM
W1800*D800*H750 W1800*D500*H600	0.40
W2000*D800*H750 W1800*D500*H600	0.42
W2200*D900*H750 W1800*D500*H600	0.45
W2400*D1000*H750 W2200*D600*H600	0.50



Meeting & Boardroom | Laminated

Build in power strip under table with wooden cover

SIZE	CBM
W2000*D900*H750	0.30
W2400*D1000*H750	0.32
W2800*D1200*H750	0.35
W3200*D1200*H750	0.40
W3600*D1200*H750	0.42
W4000*D1200*H750	0.45

Meeting & Boardroom | Veneer

Build in power strip under table with wooden cover

SIZE	CBM
W2000*D900*H750	0.30
W2400*D1000*H750	0.32
W2800*D1200*H750	0.35
W3200*D1200*H750	0.40
W3600*D1200*H750	0.42
W4000*D1200*H750	0.45

VALLEY CORNER

- * 50/25mm thick timber veneer top;
- * Table top with modular power track (3 power, 1 data);
- * Acrylic table leg;
- * Return with 3-drawer, cupboard;
- * With numbers lock;

Corner Top | Return

SIZE	CBM
W2200*D900*H750 W2200*D600*H580	0.40
W2400*D900*H750 W2200*D600*H580	0.42
W2600*D900*H750 W2200*D600*H580	0.45
W2800*D900*H750 W2200*D600*H580	0.50



VALLEY BENCH

- * 50mm thick top available with timber veneer or Italy Fenix;
- * With build in power strip underneath
- * Acrylic table leg
- * Table top cabling access hole;

Bench | Veneer

SIZE	CBM
W2200*D 900*H750	0.30
W2400*D1000*H750	0.32
W2600*D1000*H750	0.35
W2800*D1000*H750	0.38
W3000*D1000*H750	0.40



Bench | Italy Fenix

SIZE	CBM
W2200*D 900*H750	0.30
W2400*D1000*H750	0.32
W2600*D1000*H750	0.35
W2800*D1000*H750	0.38
W3000*D1000*H750	0.40

Meeting & Boardroom | Veneer Top

Build in power strip under table with wooden cover

SIZE	CBM
W2400*D1000*H750	0.32
W2800*D1000*H750	0.35
W3600*D1200*H750	0.40



W1800*D1800*H750	0.50
W2400*D2400*H750	0.60




Dia.1800*H750	0.50
Dia.2400*H750	0.60



Meeting & Boardroom | Italy Fenix Top

Build in power strip under table with wooden cover

SIZE	CBM
W2400*D1000*H750	0.32
W2800*D1000*H750	0.35
W3600*D1200*H750	0.40



FOLD
DESKS+TABLES

Conference >>>>

- * 50mm thick timber veneer top;
- * Timber veneer V flod table leg;



SIZE
Dia.1800*H750 CBM 0.40
Dia.1500*H750 CBM 0.45



SIZE
W2200*D1000*H750 CBM 0.50
W2800*D1200*H750 CBM 0.52



DRUM
DESKS+TABLES

Conference >>>>

- * 25mm thick timber veneer top;
- * Timber veneer base;




SIZE
Dia. 1200*H750 CBM 0.40
Dia. 1500*H750 CBM 0.45



SIZE
W2400*D1200*H750 CBM 0.50



SIZE
W3600*D1200*H750 CBM 0.60



TWIN
DESKS+TABLES

Conference >>>>

- * Powder coated T metal leg & frame;
- * Equipped with 1 beam;
- * With bag hook, bottle holder as standard;
- * Flodable; * Break castors;
- * Laminated table top;
- * Optional for PET/Metal/Laminated modesty panel;



SIZE	CBM
W1200*D600*H750	0.20
W1400*D600*H750	0.20
W1600*D600*H750	0.21
W1800*D600*H750	0.22
W1200*D700*H750	0.20
W1400*D700*H750	0.20
W1600*D700*H750	0.21
W1800*D700*H750	0.22
W1600*D750*H750	0.22
W1800*D750*H750	0.24

SPOT
DESKS+TABLES

Conference >>>>

- * Polished Aluminum alloy feet, coated metal frame;
- * Equipped with 1 beam;
- * With bag hook, bottle holder as standard;
- * Flodable; * Break castors;
- * Laminated table top;
- * Optional for PET/Metal/Laminated modesty panel;



SIZE	CBM
W1200*D600*H750	0.20
W1400*D600*H750	0.20
W1600*D600*H750	0.21
W1800*D600*H750	0.22
W1200*D700*H750	0.20
W1400*D700*H750	0.20
W1600*D700*H750	0.22
W1800*D700*H750	0.24

- * Polished Aluminum alloy feet, coated metal frame;
- * Equipped with 1 beam;
- * Flodable; * Break castors;
- * Laminated table top;
- * Optional for PET/Metal/Laminated modesty panel;



Molo Flod



Molo Bent



Molo Flod

SIZE	CBM
W1500*D600*H750	0.18
W1600*D600*H750	0.18
W1800*D600*H750	0.20

W1500*D700*H750	0.18
W1600*D700*H750	0.18
W1800*D700*H750	0.20

W1500*D750*H750	0.18
W1600*D750*H750	0.20
W1800*D750*H750	0.21

Molo Bent

SIZE	CBM
W1600*D600*H750	0.28
W1800*D600*H750	0.28
W2000*D600*H750	0.30
W2200*D600*H750	0.32
W2400*D600*H750	0.33

W1600*D700*H750	0.30
W1800*D700*H750	0.30
W2000*D600*H750	0.32
W2200*D600*H750	0.34
W2400*D600*H750	0.36

W1600*D750*H750	0.31
W1800*D750*H750	0.32
W2000*D600*H750	0.34
W2200*D600*H750	0.35
W2400*D600*H750	0.38

- * Table base with moduled metal and fabric upholstery;
- * USB charger under table top;
- * Table top by powder coated MDF;



SIZE
Dia.1000*H730
Dia.800*H730

CBM
0.62
0.40



SIZE
Dia.450*H430

CBM
0.14



SIZE
Dia.800*H285

CBM
0.20



PHONE BOOTH

iWork pod



GRADE A/B/C/D/E

GRADE L1/L2/L3/L4

The above code indicates the classification of different materials.
Refer to Colorlab for more details.

IWORKPOD PHONE BOOTH

Visitors + Meeting >>>>

- * Exterior: Cold rolled steel plate electrostatic sprayed coat;
- * Interior: Steel plate+9mm acoustic panel;
- * Floor: Particle board+ carpet tile;
- * Door: Alu frame+ 6mm tempered glass;
- * Rear Glass: 10mm tempered glass;
- * Table: 700W*320/200* 1030H by MFC;
- * Sensor: 900RPM/130CFM Fan(Silent);
- * Light: LED strip Light;
- * Furniture Excluded;



iworkpod Me



iworkpod Solo



iworkpod Solo Smart



iworkpod Focus

Upgrade:

- * Add \$ USD for soft closing door;
- * Add \$ USD for multi-functional power rail
(light & fans dimmable, with Cat 6, USB & Type C charger)

iworkpod Me

SIZE CBM
W1000*D1000*H2200 2.00

iworkpod Solo

SIZE CBM
W1200*D1000*H2200 2.30

iworkpod Solo Smart

SIZE CBM
W1200*D1000*H2200 2.30

iworkpod Focus

SIZE CBM
W1800*D200*H2200 2.70



ACOUSTIC

Collaboration

Acoustic Solutions

Whiteboards



GRADE A/B/C/D/E

GRADE L1/L2/L3/L4

The above code indicates the classification of different materials.
Refer to iWork Colorlab for more details.

Inspired by Sydney Opera House

- * Shell is made by fiberglass, sponge and fabric upholstery;
- * Metal powder coated frame; * Pre-assembled;
- * Melamine or powder coated table top;
- * Sweep work pod with castors and bench for static legs;



SWEEP-A



SWEEP-B

SWEEP-A

SIZE	CBM
W1370*D750*H1900	2.34
W1760*D835*H1900	3.05

SWEEP-B

SIZE	CBM
W1370*D750*H1900	2.34
W1760*D835*H1900	3.05



Grade A: in-house standard upholstery; Grade B natural wool fabric;

- * Wooden frame, foam and fabric upholstery;
- * Pre-setting with build in Power & USB charger;
- * Optional with LED lighting strips in back;



ROOM-A



ROOM-B



ROOM-C

ROOM-A


SIZE	CBM
W920*D760*H1900	1.40

ROOM-B

SIZE	CBM
W1450*D760*H1900	2.10

ROOM-C

SIZE	CBM
W1900*D910*H2110	2.24




Grade A: in-house standard upholstery; Grade B natural wool fabric;

- * Wooden frame, foam and fabric upholstery;
- * Powder coated metal base;



FLAT-A	
SIZE	CBM
W1100*D300*H1400	0.10
FLAT-B	
SIZE	CBM
W850*D300*H1700	0.10

- * Wooden frame and injection foam fabric upholstery;
- * Heavy metal base;



SPAR-A	
SIZE	CBM
W580*D200*H755	0.20
SPAR-B	
SIZE	CBM
W700*D225*H1380	0.21
SPAR-C	
SIZE	CBM
W770*D270*H1820	0.37

- * Wooden frame, foam and fabric upholstery;
- * Power coated metal base in white;



FAN-A	
SIZE	CBM
W1600*D310*H1240	0.14
FAN-B	
SIZE	CBM
W1200*D310*H1520	0.14
FAN-C	
SIZE	CBM
W1200*D310*H1840	0.16




Grade A: in-house standard upholstery; Grade B natural wool fabric;




Leaf Ottoman

* Wooden frame, foam, fabric upholstery;
 SIZE CBM
 Dia.620*D620*H430 0.15



Leaf Pouf

* Wooden frame, foam, fabric upholstery;
 SIZE CBM
 Dia.950*H220 0.25



Leaf Swig

* Wooden frame, foam, fabric upholstery;
 * With rock-climb anti-slippery wire-rope;
 SIZE CBM
 Dia.950*H220 0.25



Leaf Divider

* PET plain panel with or W/O fabric;
 * With 1.5 meters height adjust wire-rope;
 SIZE CBM
 Dia.1087*D20 0.10



Leaf Divider

* PET plain panel with or W/O fabric;
 * With 1.5 meters height adjust wire-rope;
 SIZE CBM
 Dia.1200*D20*H894 0.10



Leaf Divider

* PET plain panel with or W/O fabric;
 * With 1.5 meters height adjust wire-rope;
 SIZE CBM
 Dia.1500*D20*H1118 0.10



- * Powder coated metal frame with break castors;
- * One side by magnet white board;
- * The other side by pinnable PET panel(LINK-A);
- * The other side by high density sponge with upholstery(LINK-B);
- * With accessories shelf;



LINK-A01



LINK-A02




LINK-B

LINK-A

SIZE	CBM
W1200*D360*H1720	0.20
W2000*D360*H1720	0.40

LINK-B

SIZE	CBM
W800*D250*H1800	0.30



STORAGE

Lockers

Files Cabinet

Pedestals+Caddy


Partition Wall



GRADE A/B/C/D/E

GRADE L1/L2/L3/L4

The above code indicates the classification of different materials.
Refer to iWork Colorlab for more details.



M-BOX Locker

- * Laminated finishing;
- * 12 doors with regular lock;
- * Numbers Lock: \$57;
- * Arts Print(Non-sticked): \$3;

SIZE CBM
W1400*D400*H1200 0.10



M-BOX Open Storage

- * Laminated finishing;
- * 12 pcs open carcass;
- * With mid drawers;

SIZE CBM
W1200*D400*H1600 0.20



M-BOX Locker

- * Laminated finishing;
- * 20 pcs open carcass;
- * With mid drawers;

SIZE CBM
W1600*D400*H2000 0.25



M-BOX Como Storage

- * Laminated finishing;
- * Swing door storage;
- * With clothes hang-on bar;
- * Fabric cushion seat pad;

SIZE CBM
W1200*D400*H1600 0.22



M-BOX Como Storage

- * Laminated finishing;
- * Swing door storage;
- * With clothes hang-on bar;
- * Fabric cushion seat pad;

SIZE CBM
W2000*D400*H1800 0.40



BOOKENDS
STORAGE


Files Cabinet >>>>>



Bookends Single Sided

- * Inner frame by metal;
- * Adjust metal shelf;
- * Laminated outer carcass;

SIZE	CBM
W1600*D400*H1200	0.20
W2400*D400*H1200	0.30



Bookends B2B Sided


- * Inner frame by metal;
- * Adjust metal shelf;
- * Laminated outer carcass;

SIZE	CBM
W1600*D600*H1200	0.22
W2400*D600*H1200	0.30



SHADOW
STORAGE

Files Cabinet >>>>>



Bookends Single Sided

- * Laminated open carcass;
- * Laminated shelf;
- * Powder coated metal frame;

SIZE	CBM
W1800*D420*H1200	0.25
W2400*D420*H1200	0.30





BEST Storage

- * Swing doors & open mid- top case;
- * Beveled handle;
- * With 2 inner adjust shelf;
- * Diecast leveling feet;

SIZE CBM
W2400*D400*H1200 0.22



BEST Storage

- * 4 Swing terminal doors & mid drawers;
- * Beveled handle;
- * With clothes hang-on bar by at RHS terminal and LHS 2 adjust shelf;
- * Leveling feet;

SIZE CBM
W2400*D400*H1200 0.22



M-BOX Locker

- * Side swing door with clothes ahng-on bar;
- * Beveled handle;
- * Drawers at bottom;
- * Overhead open shelf/carcase with sliding door;
- * Leveling feet;

SIZE CBM
W2600*D400*H2200 0.32

NOTE: BEST is the executive joinery solution that allows sizes and colour changes; BEST available by laminated or timber veneer finishing;



BEST Storage

- * Swing doors & open mid- top case;
- * Metal handle;;
- * With 3 inner adjust shelf;
- * Diecast leveling feet;

SIZE CBM
W2400*D400*H1200 0.22



BEST Storage

- * 4 Swing terminal doors & mid drawers;
- * Beveled handle;
- * With clothes hang-on bar by at RHS terminal and LHS 2 adjust shelf;
- * Leveling feet;

SIZE CBM
W2400*D400*H1200 0.22



BEST Storage

- * Swing side doors;
- * Metal handle;
- * Open case & mid drawers;
- * With 2 inner adjust shelf;
- * Diecast leveling feet;

SIZE CBM
W2000*D400*H1600 0.22



BEST Storage

- * 6 Swing terminal doors & mid drawers;
- * Beveled handle;
- * With clothes hang-on bar by at RHS terminal and LHS 2 adjust shelf;
- * Leveling feet;

SIZE CBM
W2400*D400*H1200 0.22



BEST+ Executive storage



- * Swing doors & open mid- top case;
- * Beveled handle;
- * With 2 inner adjust shelf;
- * Diecast leveling feet;

SIZE CBM
W2400*D480*H2100 0.30

BEST+ Executive storage



- * Face: Solid timber veneer;
- * Carcase: Grey coated by 45 degree joint details;
- * With clothes hang-on bar;

SIZE CBM
W3200*D480*H2100 0.38

BEST+ Executive storage



- * MDF coated finish;
- * Swing door with adjust shelf;
- * LED strip light on open carcase;

SIZE CBM
W3200*D500*H2100 0.38

BEST+ Executive storage



- * Solid timber veneer Finishing;
- * 2 swing veneered mid doors with beveled handle;
- * 4 end terminals glass door;
- * 3 inner adjust shelf;

SIZE CBM
W3000*D480*H2100 0.35

BEST+ Executive storage



- * MDF coated finish;
- * Swing door with adjust shelf;
- * LED strip light on open carcase;

SIZE CBM
W1800*D500*H2100 0.30

NOTE: BEST+ offers premium executive joinery solution;
iWork Commercial offers tailor made service as per space;

BEST+ Executive storage



- * Solid timber veneer bottom cupboard;
- * Swiving doors with 1 adjust shelf;
- * Beveled handle;
- * Powder coat metal steel upper mid shelf;

SIZE CBM
W2400*D480*H2100 0.35

BEST+ Executive storage



- * MDF coated finish;
- * Swing door with adjust shelf;
- * LED strip light on open carcase;

SIZE CBM
W2400*D500*H2100 0.30





Lamer Executive Joinery

- * Solid timber veneer body;
- * Swing door & + shape open carcass;
- * Stainless steel legs;

SIZE	CBM
W1800*D500*H600/800	0.20
W2400*D500*H600/800	0.25



Lamer Executive Joinery

- * Solid timber veneer body;
- * Swing door ;
- * Stainless steel legs;

SIZE	CBM
W1800*D500*H900/1100	0.22
W2400*D500*H900/1100	0.26



CLEVER
STORAGE

Pedestals + Caddy >>>>



Clever Storage-1 drawer

- * Metal with powder coat;
- * Underneath castors;

SIZE
W450*D500*H500

CBM
0.16
0.16



Clever Storage-2 drawer

- * Metal with powder coat;
- * Underneath castors;

SIZE
W450*D500*H500

CBM
0.16
0.16



MOSAIC
STORAGE

Pedestals + Caddy >>>>



M-BOX Como Storage

- * Metal with powder coat;
- * Upper drawer;
- * Underneath open case;
- * With bag hook;
- * Underneath castors;
- * Available by RHS or LHS;

SIZE
W400*D400*H585 CBM
1.20



NOTE: CLEVER requires MOQ 10 pcs per color & per model;





STARLINK Mobile Pedestal

- * Metal finish with powder coat;
- * Open upper case & bottom drawer;
- * Pulling perforation holes door with lock;
- * Castors underneath;
- * Top PET seat pad & side bag hook;

SIZE	CBM
W400*D500*H550	0.15



STARLINK Caddy

- * Metal finish with powder coat;
- * Sliding perforation holes door with lock;
- * Castors underneath;
- * 1 adjust shelf on RHS & LHS;
- * Top PET seat pad & side bag hook;


SIZE	CBM
W800*D400*H550	0.23



STARLINK Caddy

- * Metal finish with powder coat;
- * Swing perforation holes door with lock;
- * Two-drawers & 1 adjust shelf on door case;
- * Static feet;


SIZE	CBM
W800*D500*H580	0.29



STARLINK Low Cupboard

- * Metal finish with powder coat;
- * Swing perforation holes door with lock;
- * Two-drawers & 1 adjust shelf on door case;
- * Static feet;

SIZE	CBM
W900*D450*H1050	0.53



STARLINK Low Cupboard-PET

- * Metal finish with powder coat;
- * 2 Swing perforation holes door with lock;
- * Door back fitted with acoustic PET panel;
- * 2 adjust shelf inside;
- * Static feet;

SIZE	CBM
W900*D450*H1050	0.53



STARLINK Planter box

- * Metal finish with powder coat;

SIZE	CBM
W900*D450*H150	0.095



STARLINK High Cupboard

- * Metal finish with powder coat;
- * 4 Swing perforation holes door with lock;
- * 4 adjust shelf inside;
- * Static feet;

SIZE	CBM
W900*D450*H2100	1.02



STARLINK High Cupboard-PET

- * Metal finish with powder coat;
- * 4 Swing perforation holes door with lock;
- * Door back fitted with acoustic PET panel;
- * 4 adjust shelf inside;
- * Static feet;


SIZE	CBM
W900*D450*H2100	1.02



STARLINK Como Cupboard

- * Metal finish with powder coat;
- * 2 Swing perforation holes door W/O lock;
- * Hang on sliding doors and open case in mid;
- * 2 adjust shelf inside;
- * Static feet;

SIZE	CBM
W2200*D450*H1125	1.80



STARLINK Locker

- * Metal finish with powder coat;
- * Swing perforation holes door;
- * With long hole handle;
- * Numbers digital lock;
- * 5 Slots;

SIZE	CBM
W800*D400*H1200	0.48



KIEGO Single Sided 1-Bay frame-Bevel shelf

* 4 adjust bevel shelves;

SIZE	CBM
W800*D210*H2400-3500	0.30
W1130*D210*H2400-3500	0.37



KIEGO Single Sided 2-Bay frame-Bevel shelf

* 8 adjust bevel shelves;

SIZE	CBM
W1530*D210*H2400-3500	0.446
W2190*D210*H2400-3500	0.578



KIEGO Single Sided 3-Bay frame-Bevel shelf

* 12 adjust bevel shelves;

SIZE	CBM
W2260*D210*H2400-3500	0.592
W3250*D210*H2400-3500	0.79



KIEGO B2B Sided 1-Bay frame-Bevel shelf

* 8 adjust bevel shelves;

SIZE	CBM
W800*D210*H2400-3500	0.38
W1130*D210*H2400-3500	0.479



KIEGO B2B Sided 2-Bay frame-Bevel shelf

* 16 adjust bevel shelves;

SIZE	CBM
W1530*D375*H2400-3500	0.599
W2190*D375*H2400-3500	0.797



KIEGO B2B Sided 3-Bay frame-Bevel shelf

* 24 adjust bevel shelves;

SIZE	CBM
W2260*D375*H2400-3500	0.818
W3250*D375*H2400-3500	1.115



KIEGO Single Sided 1-Bay frame-Bevel shelf

* 1-drawer at bottom;
* 3 adjust bevel shelves;


SIZE	CBM
W800*D385*H2400-3500	0.38
W1130*D385*H2400-3500	0.488



KIEGO Single Sided 2-Bay frame-Bevel shelf

* 2-drawer at bottom;
* 6 adjust bevel shelves;

SIZE	CBM
W1530*D385*H2400-3500	0.611
W2190*D385*H2400-3500	0.815



KIEGO Single Sided 3-Bay frame-Bevel shelf

* 3-drawer at bottom;
* 9 adjust bevel shelves;

SIZE	CBM
W2600*D385*H2400-3500	0.836
W3250*D385*H2400-3500	1.141



KIEGO B2B Sided 1-Bay frame-Bevel shelf

* 2-drawer at bottom;
* 6 adjust bevel shelves;

SIZE	CBM
W800*D735*H2400-3500	0.61
W1130*D735*H2400-3500	0.80



KIEGO B2B Sided 2-Bay frame-Bevel shelf

* 4-drawer at bottom;
* 12 adjust bevel shelves;

SIZE	CBM
W1530*D735*H2400-3500	1.04
W2190*D735*H2400-3500	1.43



KIEGO B2B Sided 3-Bay frame-Bevel shelf

* 6-drawer at bottom;
* 18 adjust bevel shelves;

SIZE	CBM
W2260*D735*H2400-3500	1.47
W3250*D735*H2400-3500	2.02





KIEGO Single Sided 1-Bay frame-Flat shelf

* 4 adjust bevel shelves;

SIZE	CBM
W800*D385*H2400-3500	0.30
W1130*D385*H2400-3500	0.37



KIEGO Single Sided 2-Bay frame-Flat shelf

* 8 adjust bevel shelves;

SIZE	CBM
W1530*D385*H2400-3500	0.446
W2190*D385*H2400-3500	0.578



KIEGO Single Sided 3-Bay frame-Flat shelf

* 12 adjust bevel shelves;

SIZE	CBM
W2260*D385*H2400-3500	0.592
W3250*D385*H2400-3500	0.79



KIEGO B2B Sided 1-Bay frame-Flat shelf

* 8 adjust bevel shelves;

SIZE	CBM
W800*D735*H2400-3500	0.38
W1130*D735*H2400-3500	0.479



KIEGO B2B Sided 2-Bay frame-Flat shelf

* 16 adjust bevel shelves;

SIZE	CBM
W1530*D735*H2400-3500	0.599
W2190*D735*H2400-3500	0.797



KIEGO B2B Sided 3-Bay frame-Flat shelf

* 24 adjust bevel shelves;

SIZE	CBM
W2260*D735*H2400-3500	0.818
W3250*D735*H2400-3500	1.115



KIEGO Single Sided 1-Bay frame-Flat shelf

* 1-drawer at bottom;
* 3 adjust bevel shelves;

SIZE	CBM
W800*D385*H2400-3500	0.38
W1130*D385*H2400-3500	0.488



KIEGO Single Sided 2-Bay frame-Flat shelf

* 2-drawer at bottom;
* 6 adjust bevel shelves;

SIZE	CBM
W1530*D385*H2400-3500	0.611
W2190*D385*H2400-3500	0.815



KIEGO Single Sided 3-Bay frame-Flat shelf

* 3-drawer at bottom;
* 9 adjust bevel shelves;

SIZE	CBM
W2600*D385*H2400-3500	0.836
W3250*D385*H2400-3500	1.141



KIEGO B2B Sided 1-Bay frame-Flat shelf

* 2-drawer at bottom;
* 6 adjust bevel shelves;


SIZE	CBM
W800*D735*H2400-3500	0.61
W1130*D735*H2400-3500	0.80



KIEGO B2B Sided 2-Bay frame-Flat shelf

* 4-drawer at bottom;
* 12 adjust bevel shelves;

SIZE	CBM
W1530*D735*H2400-3500	1.04
W2190*D735*H2400-3500	1.43



KIEGO B2B Sided 3-Bay frame-Flat shelf

* 6-drawer at bottom;
* 18 adjust bevel shelves;

SIZE	CBM
W2260*D735*H2400-3500	1.47
W3250*D735*H2400-3500	2.00





KIEGO rail-Ceiling mount

SIZE
W80*D80/290*H2400-3500 CBM
0.08



KIEGO rail-Wall mount

SIZE
W80*D80/290*H2400-3500 CBM
0.38



KIEGO Bevel shelf

SIZE
W660*D175*H350 CBM
0.056
W990*D175*H350 CBM
0.088



KIEGO Flat shelf

SIZE
W660*D365*H150 CBM
0.056
W990*D365*H150 CBM
0.088



KIEGO book shelf-by pairs

SIZE
W140*D140*H220 CBM
0.009



KIEGO rail-Wall mount

SIZE
W210*D80*H320 CBM
0.012



KIEGO Laminated drawer

SIZE
W660*D330*H330 CBM
0.112
W990*D330*H330 CBM
0.176



NOTE: Brian range mobile pedestal & caddy are pre-assembled and rest by KD package;
Custom size available;



Brian Mobile Pedestal

- * Laminated finishing;
- * 3-drawers with lock;
- * Beveled handle;
- * With castors;

SIZE
W404*D480*H580

CBM
0.17



Brian Mobile Caddy

- * Laminated finishing;
- * 3-drawers with lock;
- * Beveled handle;
- * With open carcass & CPU case
- * With castors;

SIZE
W1200*D560*H560

CBM
0.32



Brian Mobile Pedestal

- * Laminated finishing;
- * 2-drawers with lock;
- * Alu alloy handle;
- * With top CPU shelf;
- * With castors;

SIZE
W460*D560*H560

CBM
0.17



Brian Mobile Pedestal padded

- * Laminated finishing;
- * 2-drawers with lock;
- * Alu alloy handle
- * With top cushion fabric pad;
- * With castors;

SIZE
W460*D560*H560

CBM
0.17



Brian Mobile Caddy

- * Laminated finishing;
- * 3-drawers with lock;
- * Beveled handle;
- * Swing door storage on side;
- * With castors;

SIZE
W1000*D500*H560

CBM
0.16



Brian Side Return Single

- * Laminated finishing;
- * 3-drawers with lock;
- * Beveled handle;
- * With colling fan cover;
- * Fixed plastic feet;

SIZE
W1000*D400*H600

CBM
0.16



Brian Side Return B2B

- * Laminated finishing;
- * 3-drawers with lock;
- * Beveled handle;
- * With colling fan cover;
- * Fixed plastic feet;

SIZE
W1000*D750*H600

CBM
0.20



Brian Storage

- * Laminated finishing;
- * 2 swing doors;
- * Beveled handle;
- * With 2 inner adjust shelf
- * Plastic feet;

SIZE
W800*D400*H1200
W900*D450*H1200

CBM
0.15
0.16



Brian Storage

- * Laminated finishing;
- * 2 swing doors;
- * Beveled handle;
- * With 2 inner adjust shelf;
- * Planter box on top; * Plastic feet;

SIZE
W800*D400*H1200
W900*D450*H1200

CBM
0.15
0.16



Brian Storage

- * Laminated finishing;
- * 2 swing doors;
- * Beveled handle;
- * With 2 inner adjust shelf
- * Plastic feet;

SIZE
W1400*D400*H1200
W1600*D450*H1200

CBM
0.20
0.21



Brian Storage

- * Laminated finishing;
- * 4 swing doors;
- * Beveled handle;
- * With 2 inner adjust shelf;
- * Planter box on top; * Plastic feet;

SIZE	CBM
W1400*D400*H1200	0.2
W1600*D450*H1200	0.21



Brian Storage

- * Laminated finishing;
- * 2 swing doors & open top case;
- * Beveled handle;
- * With 1 inner adjust shelf;
- * Leveling feet;

SIZE	CBM
W800*D400*H1200	0.16
W900*D450*H1200	0.17



Brian Storage

- * Laminated finishing;
- * 4 swing doors & open top case;
- * Beveled handle;
- * With 1 inner adjust shelf;
- * Leveling feet;

SIZE	CBM
W1400*D400*H1200	0.22
W1600*D450*H1200	0.23



Brian Storage

- * Laminated finishing;
- * 4 swing doors & open top case;
- * Beveled handle;
- * With bin cutout
- * 2 bin box inside; * Leveling feet;

SIZE	CBM
W1400*D400*H1200	0.22
W1600*D450*H1200	0.23



Brian Storage

- * Laminated finishing;
- * 2 swing doors & open side case;
- * Beveled handle;
- * With 3 inner adjust shelf;
- * Leveling feet;

SIZE	CBM
W1400*D400*H1200	0.26
W1600*D450*H1200	0.27



Brian Storage

- * Laminated finishing;
- * 1 sliding doors & open side case;
- * Beveled handle;
- * With 3 inner adjust shelf;
- * Leveling feet;

SIZE	CBM
W1400*D400*H1200	0.26
W1600*D450*H1200	0.27



Brian Storage

- * Laminated finishing;
- * Pull out case with fixed shelf;

SIZE	CBM
W450*700D*900H	0.30
W450*700D*1200H	0.36



Brian Storage

- * Laminated finishing;
- * 2 swing doors on upper & bottom;
- * Beveled handle;
- * With 3 inner adjust shelf;
- * Leveling feet;

SIZE	CBM
W800*D400*H2000	0.22
W1600*D450*H2000	0.23



Brian Storage

- * Laminated finishing;
- * 2 swing doors on bottom & upper open carcass;
- * Beveled handle;
- * With 1 inner adjust shelf;
- * Leveling feet;

SIZE	CBM
W800*D400*H2000	0.22
W1600*D450*H2000	0.23



Brian Storage

- * Laminated finishing;
- * 2 sided sliding door;
- * Open case in middle;
- * Beveled handle;
- * With 1 inner adjust shelf; * Leveling feet;

SIZE	CBM
W2400*D400*H800	0.16
W2400*D450*H800	0.17



Brian Storage

- * Laminated finishing;
- * Open case;
- * With 1 inner adjust shelf;
- * Leveling feet;

SIZE
W900*D400*H750

CBM
0.15



Brian Storage

- * Laminated finishing;
- * Open case;
- * With 2 inner adjust shelf;
- * Leveling feet;

SIZE
W900*D400*H750

CBM
0.16



Brian Storage

- * Laminated finishing;
- * 2 swing doors;
- * Beveled handle;
- * With 1 inner adjust shelf;
- * Leveling feet;

SIZE
W900*D400*H750

CBM
0.16



Brian Smart Locker

- * Laminated finishing;
- * 4 swing doors;
- * Beveled handle;
- * Leveling feet;

SIZE
W400*D400*H1600

CBM
0.15



Brian Smart Locker

- * Laminated finishing;
- * 2 swing doors;
- * Beveled handle;
- * With 2 inner adjust shelf;
- * Leveling feet;

SIZE
W400*D400*H1600

CBM
0.15



Brian Storage

- * Laminated finishing;
- * 8 swing doors;
- * Beveled handle;
- * Leveling feet;

SIZE
W800*D400*H1600

CBM
0.20



Brian Smart Locker

- * Laminated finishing;
- * 4 swing doors;
- * Beveled handle;
- * With 4 inner adjust shelf;
- * Leveling feet;

SIZE
W800*D400*H1600

CBM
0.20



Brian Smart Locker

- * Laminated finishing;
- * 12 swing doors;
- * Beveled handle;
- * Leveling feet;

SIZE
W1200*D400*H1600

CBM
0.28



Brian Smart Locker

- * Laminated finishing;
- * 6 swing doors;
- * Beveled handle;
- * With 6 inner adjust shelf;
- * Leveling feet;

SIZE
W1200*D400*H1600

CBM
0.28



Brian Smart Storage Rack

- * Solid wood bench;
- * Metal frame with powder coat;
- * Leveling feet;

SIZE
W400*D800*H400
W800*D800*H400
W1200*D800*H400

CBM
0.18
0.33
0.48



Bosten 2-drawer mobile pedestal

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Master key management;
- * With pen holder;
- * No.5 castors & anti-turn over design;
- * Pre-assembled;

<i>SIZE</i>	<i>CBM</i>
W390*D500*H495	0.15/SET



Bosten 3-drawer mobile pedestal

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Master key management;
- * With pen holder;
- * No.5 castors & anti-turn over design;
- * Pre-assembled;

<i>SIZE</i>	<i>CBM</i>
W390*D500*H600	0.17/SET



Bosten 3-drawer fixed drawer

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Master key management;
- * With pen holder;
- * No.5 castors & anti-turn over design;
- * Pre-assembled;

<i>SIZE</i>	<i>CBM</i>
W390*D500*H720	0.17/SET



Bosten mobile caddy

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Tambour ABS/PVC slat door cupboard/1 adjust shelf;
- * Master key management;
- * With pen holder;
- * Pre-assembled;
- * Available by RHS or LHS version;

<i>SIZE</i>	<i>CBM</i>
W900*D450*H640	0.35/SET



Bosten mobile caddy

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Open side cupboard/1 adjust shelf;
- * Master key management;
- * With pen holder;
- * Pre-assembled;
- * Available by RHS or LHS version;

<i>SIZE</i>	<i>CBM</i>
W900*D450*H640	0.35/SET



Bosten tambour storage-Bottom 1 layer



- * 0.7mm cold rolled steel with powder coat;
- * Tambour ABS/PVC slat door cupboard;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE	CBM
W900*D450*H408	0.08/SET

Bosten tambour storage-Bottom 3 layer



- * 0.7mm cold rolled steel with powder coat;
- * Tambour ABS/PVC slat door cupboard;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE	CBM
W900*D450*H755	0.12/SET

Bosten tambour storage-Upper 2 layer



- * 0.7mm cold rolled steel with powder coat;
- * Tambour ABS/PVC slat door cupboard;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE	CBM
W900*D450*H755	0.12/SET

Bosten tambour storage-Bottom 3 layer



- * 0.7mm cold rolled steel with powder coat;
- * Tambour ABS/PVC slat door cupboard;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE	CBM
W900*D450*H1095	0.17/SET

Bosten tambour storage-Upper 3 layer



- * 0.7mm cold rolled steel with powder coat;
- * Tambour ABS/PVC slat door cupboard;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE	CBM
W900*D450*H1095	0.17/SET

Bosten tambour storage-Upper 5 layer



- * 0.7mm cold rolled steel with powder coat;
- * Tambour ABS/PVC slat door cupboard;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE	CBM
W900*D450*H1095	0.3/SET



BOSTEN Tambour storage File rack

- * To suit Bosten range tambour storage;
- * Cold rolled steel with powder coat;
- * With sliding rails;

SIZE CBM
W726*D365*H49 to suit 900W 0.01



BOSTEN Tambour storage Shelf

- * To suit Bosten range tambour storage;
- * Cold rolled steel with powder coat;

SIZE CBM
W726*D365*H30 to suit 900W 0.01



Bosten Cushion Seat Pad

- * To suit Bosten range mobile pedestal & caddy;
- * Plywood and sponge by fabric upholstery;
- * With magnet attachment;

SIZE CBM
W390*D500*H50 0.02



Bosten Planter Box

- * Cold rolled steel with powder coat;

SIZE CBM
W900*D450*H200 to suit 900W 0.05



Bosten Numbers Digital Lock

- * To suit Bosten range mobile pedestal & caddy;





Chicago 2-drawer mobile pedestal

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Master key management;
- * With pen holder;
- * No.5 castors & anti-turn over design;
- * Pre-assembled;

SIZE CBM
W380*D500*H490 0.15/SET



Chicago 3-drawer mobile pedestal

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Master key management;
- * With pen holder;
- * No.5 castors & anti-turn over design;
- * Pre-assembled;

SIZE CBM
W380*D500*H570 0.17/SET



Chicago 3-drawer fixed drawer

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Master key management;
- * With pen holder;
- * No.5 castors & anti-turn over design;
- * Pre-assembled;

SIZE CBM
W380*D500*H720 0.17/SET



Chicago mobile caddy

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Tambour ABS/PVC slat door cupboard/1 adjust shelf;
- * Master key management;
- * With pen holder;
- * Pre-assembled;
- * Available by RHS or LHS version;

SIZE CBM
W900*D450*H610 0.35/SET



Chicago mobile caddy

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Open side cupboard/1 adjust shelf;
- * Master key management;
- * With pen holder;
- * Pre-assembled;
- * Available by RHS or LHS version;

SIZE CBM
W900*D450*H610 0.35/SET



Chicago mobile caddy

- * 0.7mm cold rolled steel with powder coat;
- * 3-steps full pulling drawer runners;
- * Sliding door cupboard/1 adjust shelf;
- * Master key management;
- * With pen holder;
- * Pre-assembled;
- * Available by RHS or LHS version;

SIZE CBM
W900*D450*H610 0.35/SET





Chicago Swing door storage-Bottom 2 layer

- * 0.7mm cold rolled steel with powder coat;
- * Swing door cupboard/1 adjust shelf;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE CBM
W900*D450*H755 0.12/SET



Chicago Swing door storage-Bottom 3 layer

- * 0.7mm cold rolled steel with powder coat;
- * Swing door cupboard/1 adjust shelf;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE CBM
W900*D450*H1095 0.17/SET



Chicago Swing door storage-Upper 2 layer

- * 0.7mm cold rolled steel with powder coat;
- * Swing door cupboard /2 adjust shelf;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE CBM
W900*D450*H755 0.12/SET



Chicago Swing door storage-Bottom 3 layer

- * 0.7mm cold rolled steel with powder coat;
- * Swing door cupboard /2 adjust shelf;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE CBM
W900*D450*H1095 0.17/SET



Chicago Swing door storage-Bottom 5 layer

- * 0.7mm cold rolled steel with powder coat;
- * Swing door cupboard /4 adjust shelf;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE CBM
W900*D450*H1850 0.30/SET



Chicago 1 lateral drawer file cabinet

- * 0.7mm cold rolled steel with powder coat;
- * Master key management;
- * KD package/Slightly assembling is required;

SIZE CBM
W900*D450*H408.5 0.12/SET





Chicago 2 lateral drawer file cabinet

- * 0.7mm cold rolled steel with powder coat;
- * Master key management;
- * KD package/Slightly assembling is required;

<i>SIZE</i>	<i>CBM</i>
W900*D450*H753	0.16/SET



Chicago 3 lateral drawer file cabinet

- * 0.7mm cold rolled steel with powder coat;
- * Master key management;
- * KD package/Slightly assembling is required;

<i>SIZE</i>	<i>CBM</i>
W900*D450*H1095	0.24/SET



Chicago 4 lateral drawer file cabinet

- * 0.7mm cold rolled steel with powder coat;
- * Master key management;
- * KD package/Slightly assembling is required;

<i>SIZE</i>	<i>CBM</i>
W900*D450*H1437	0.30/SET



Bosten Cushion Seat Pad

- * To suit Bosten range mobile pedestal & caddy;
- * Plywood and sponge by fabric upholstery;
- * With magnet attachment;

<i>SIZE</i>	<i>CBM</i>
W390*D500*H50	0.02



Bosten Planter Box

- * Cold rolled steel with powder coat;
- | | |
|-----------------------------|------------|
| <i>SIZE</i> | <i>CBM</i> |
| W900*D450*H200 to suit 900W | 0.05 |



Bosten Numbers Digital Lock

- * To suit Bosten range mobile pedestal & caddy;

LIGHTING

Floor lamps

Table lamps

Ceiling lamps



GRADE A/B/C/D/E

GRADE L1/L2/L3/L4

The above code indicates the classification of different materials.
Refer to Colorlab for more details.



Wisdom free-standing luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;

SIZE	CBM
W681*D340*H1997/26	0.55



Wisdom free-standing luminaires

- * Aluminum alloy frame;
- * The light pole is assembled in three sections,and the LCD digital display screen and light touch switch are implanted on the pole, which can realize dimming and color adjustment in up and down levels;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;

SIZE	CBM
W681*D340*H1997/26	0.55



Wisdom free-standing luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Microwave sensor with light balance automatically switches the working and leisure states of the lamps;
- * Color temperature standard: 4000K;

SIZE	CBM
W681*D340*H1997/26	0.55



Wisdom desk-mounted luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * (Tabletop cutout size 52*27mm long hole or 22mm round hole);

SIZE	CBM
W746*D340*H1000/26	0.06



Wisdom desk-mounted luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * (Tabletop cutout size 52*27mm long hole or 22mm round hole);

SIZE	CBM
W746*D340*H1000/26	0.057





Simple free-standing luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard:4000K;
- * Can realize reset key dimming;
- * Button switch;

SIZE	CBM
W674*D220*H1910/26	0.39



Simple suspended luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard:4000K;
- * 1.5meter hanging rope;

SIZE	CBM
W1285*D340*H26	0.011
W1518*D220*H26	0.113



Moon free-standing luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard:4000K;
- * Can realize touch slide dimming;

SIZE	CBM
Φ550*Φ35*H2003/30	1.25



Moon desk-mounted luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard:4000K;
- * (Tabletop cutout size is 22mm round hole);

SIZE	CBM
Φ550*Φ35*H1000/30	0.63



Moon suspended luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard:4000K;
- * With fabric upholstery;
- * 1.5meter hanging rope;

SIZE	CBM
Φ590*H26/250	0.192



Moon desk-mounted luminaires

- * Aluminum alloy frame;
- * Luminaire light efficiency: approx.85LM/W;
- * UGR: <17;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard:4000K;
- * With fabric upholstery;
- * (Tabletop cutout size is 22mm round hole);

SIZE	CBM
Φ590*Φ35*H1000/250	0.20

Elegant suspended luminaires



- * Aluminum alloy frame;
- * Light guide plate: Imported transparent PMMA stripes + horizontal stripes PMMA + PC diffusion film combined prism cover;
- * Color rendering index>90;
- * Color temperature standard: 4000K;
- * 1.5meter hanging rope;

SIZE CBM
W1210*D43*H85 0.01

Elegant suspended luminaires



- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate+ PC diffusion film combined prism cover;
- * Color rendering index>90;
- * Color temperature standard: 4000K;
- * 1.5meter hanging rope;

SIZE CBM
W1210*D43*H85 0.01

Elegant Plus suspended luminaires



- * Aluminum alloy frame with fabric upholstery;
- * Light guide plate: Imported transparent PMMA stripes + horizontal stripes PMMA + PC diffusion film combined prism cover;
- * Color rendering index>90;
- * Color temperature standard: 4000K;
- * 1.5meter hanging rope;

SIZE CBM
W772*D60*H620 0.06

Elegant Plus suspended luminaires



- * Aluminum alloy frame with fabric upholstery;
- * Light guide plate: Imported transparent PMMA stripes + horizontal stripes PMMA + PC diffusion film combined prism cover;
- * Color rendering index>90;
- * Color temperature standard: 4000K;
- * 1.5meter hanging rope;

SIZE CBM
W1250*D60*H320 0.12

Elegant Plus suspended luminaires



- * Aluminum alloy frame with fabric upholstery;
- * Light guide plate: Imported transparent PMMA stripes + horizontal stripes PMMA + PC diffusion film combined prism cover;
- * Color rendering index>90;
- * Color temperature standard: 4000K;
- * 1.5meter hanging rope;

SIZE CBM
W1550*D60*H320 0.13



Butterfly free-standing luminaires

- * Aluminum alloy frame;
- * Light guide plate: imported optical grade grid lens (optical angle series) combination cover, nano-sputtering coating process;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;

SIZE	CBM
W900*D52*H2050/49	0.02



Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * The single downlight is 36W;

SIZE	CBM
W1500*D52*H1000/49	0.14



Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * The single downlight is 30W;

SIZE	CBM
W1200*D52*H400/49	0.23



Butterfly Plus+ free-standing luminaires

- * Aluminum alloy frame;
- * Light guide plate: imported optical grade grid lens (optical angle series) combination cover, nano-sputtering coating process;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch; * Metal base;

SIZE	CBM
W1600*D52/820*H2050/138	0.42



Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Realize touch slide on/off dimming;
- * The single downlight is 42W;

SIZE	CBM
W900*D52*H2050/49	0.15



Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * The single downlight is 40W;

SIZE	CBM
W1200*D52*H400/49	0.23



Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * The single downlight is 50W;

SIZE CBM
W1800*D52*H400/49 0.27

Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * The single downlight is 60W;

SIZE CBM
W2200*D52*H400/49 0.30

Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.80LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Built-in 220V five-hole plug and USB charging module on the light pole
- * The single downlight is 30W;

SIZE CBM
W1200*D52*H500/49 0.12

Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.80LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Built-in 220V five-hole plug and USB charging module on the light pole
- * The single downlight is 40W;

SIZE CBM
W1500*D52*H500/49 0.14

Butterfly desk-mounted luminaires

- * Aluminum alloy frame;
- * Light guide plate: honeycomb plate + PC diffusion ;
- * Luminaire light efficiency: approx.82LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Button switch;
- * The single downlight is 50W;

SIZE CBM
W1800*D52*H400/49 0.16

Butterfly suspended luminaires

- * Aluminum alloy frame with acoustic upholstery;
- * Light guide plate: Imported transparent PMMA stripes + horizontal stripes PMMA + PC diffusion film combined prism cover;
- * Color rendering index>90;
- * Color temperature standard: 4000K;
- * 1.5meter hanging rope;

SIZE CBM
W1234*D52/900*H148 0.24
W1534*D52/900*H148 0.29



Chun desk-mounted luminaires

- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 40W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;

SIZE	CBM
W1060*D185*H400/27	0.10



Chun desk-mounted luminaires

- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 60W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;


SIZE	CBM
W1784*D185*H400/27	0.13



Chun desk-mounted luminaires

- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 40W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Can built-in power strip and USB charging module on the light pole;

SIZE	CBM
W1060*D185*H400/27	0.10



Chun desk-mounted luminaires

- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 50W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;

SIZE	CBM
W1480*D185*H400/27	0.10



Chun desk-mounted luminaires

- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 80W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;


SIZE	CBM
W2206*D185*H400/27	0.16



Chun desk-mounted luminaires

- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 40W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Can built-in power strip and USB charging module on the light pole;

SIZE	CBM
W1480*D185*H400/27	0.10



Chun desk-mounted luminaires



- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 40W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Can built-in power strip and USB charging module on the light pole;


SIZE	CBM
W1784*D185*H400/27	0.13

Chun desk-mounted luminaires



- * Aluminum alloy frame;
- * The lampshade uses imported prism combination;
- * Imported SMD light source, the whole lamp power is 40W, light efficiency is 85LM/W;
- * UGR: <16;
- * LED light source, color tolerance SDCM<3;
- * Color temperature standard: 4000K;
- * Can built-in power strip and USB charging module on the light pole;

SIZE	CBM
W2206*D185*H400/27	0.16



Paulmann desk-mounted luminaires

- * Material:Iron+PVC;
- * Color temperature standard:3000K;
- * Irradiation area:100cm*100cm;

SIZE	CBM
Φ200,H432-980	0.50



Paulmann desk-mounted luminaires

- * Material:Iron+aluminum;
- * Color temperature standard:3000K;
- * Irradiation area:130cm*130cm;

SIZE	CBM
Φ230,H432-920	0.50




Hepburn free-standing luminaires



- * Japan imported Acrylic material,high heat dissipation aviation aluminum body structure;
- * 3D light, color gradient effect;
- * The main lighting uses CREE XPE lamp beads, Ra>90;
- * UGR: <10;
- * Supports 1-100% range dimming;
- * Atmospheric lighting control uses gestures to control scene switching And switch lights;

SIZE CBM
Φ420*H1790/1430/1070/740 0.36

Hepburn suspended luminaires



- * Japan imported Acrylic material,high heat dissipation aviation aluminum body structure;
- * 3D light, color gradient effect;
- * The main lighting uses CREE XPE lamp beads, Ra>90;
- * UGR: <10;
- * Atmospheric lighting control uses gestures to control scene switching And switch lights;

SIZE CBM
Φ420 0.36

Hepburn desk-mounted luminaires



- * Japan imported Acrylic material,high heat dissipation aviation aluminum body structure;
- * 3D light, color gradient effect;
- * The main lighting uses CREE XPE lamp beads, Ra>90;
- * UGR: <10;
- * Atmospheric lighting control uses gestures to control scene switching And switch lights;

SIZE CBM
Φ420**H1020 0.46

Hepburn desk-mounted luminaires



- * High light guide level acrylic lampshade high heat dissipation aviation aluminum body tempered glass panel;
- * 3D light, color gradient effect;
- * Color temperature 2700-5000K;
- * Smart gesture switch;
- * USB charging port;

SIZE CBM
Φ180*H340 0.10

Hepburn desk-mounted luminaires



- * High light guide level acrylic lampshade high heat dissipation aviation aluminum body tempered glass panel;
- * 3D light, color gradient effect;
- * Color temperature 2700-5000K;
- * Smart gesture switch;
- * USB charging port;

SIZE CBM
Φ180*H340 0.10



THANK YOU



green wave
general trading Ltd

www.gwgtltd.com

call / WhatsApp 050 125 1467

email us: buyzoneuae@gmail.com